

M-POWER-4T

MORMAX

Mormax Company, Inc.

sales@mormax.com

sales@mormax.

8 Westchester Plaza



ambigad with greater and of

M-POWER-4T-AURR-BATP

AC POWER & DATA CONNECTIVITY SOLUTION

Metro Light & Power's line of power & data solutions offers sophisticated design elements combined with greater ease of installation. Streamlined and low-profile, enhanced by side-exiting cords, our outlets advance the industry with their cutting-edge look and feel. We believe flexibility is key, and we provide a variety of mounting options, including the ability to mount in limited spaces. Our outlets are available in many finishes and configurations, in addition to a custom color and finish capability for our clients.

Trim Plate Finish:

BLACK (ABS)

Custom Finishes Available M-PO\

M-POWER-4T-AURR-BATP



Features:

Module/Port Options:

- A Tamper Resistant AC Receptacle
- B Double USB (Fast Charging Ports Rated for 3.2A)
- C HDMI
- D CAT 6
- E 3.5mm Mini Stereo Jack
- F Single USB (Fast Charging Port Rated for 3.2A)
- G RJ 12
- H Switched AC
 - I 3-Way Switch
- J USB C (High Speed Charging Port)
- K Switched AC (Rocker Switch)

Plug:

Low Profile Flat 45° Angle 120 VAC Plug Standard Straight 120 VAC Plug

- CLEAN, COMPACT DESIGN
- STREAMLINED
- LOW PROFILE
- SIDE-EXITING CORDS
- PLUG & PLAY
- 3.2A HIGH SPEED USB CHARGING FOR ALL DEVICES
- 6' AC CORD & PLUG (FLAT PLUG STANDARD)
- CUSTOMIZABLE CONFIGURATIONS AND FINISHES
- UL LISTED FOR MOUNTING IN FURNITURE
- 15A







M-POWER-4T

MORMAX

TOP

Mormax Company, Inc.

914-699-0101

8 Westchester Plaza




Elmsford, NY 10523


M-POWER-4T-AURR-BATP

AC POWER & DATA CONNECTIVITY SOLUTION

Specs:

Modules/Ports: 2.000" (50.800mm) Tamper Resistant AC Receptacle 2.106" (53.503mm) Double USB (Fast Charging Ports - Rated for 3.2A) Switched AC (Rocker Switch) 7.240" (183.903mm) Shown with 1 Tamper Resistant AC, 1 Double USB Charging Port, and 2 Switched ACs (Rocker Switches). 0.619" (15.746mm) 1.233" (31.340mm) 0.613" (15.594mm) D 1.132" (28.766mm)





0.234" (5.944mm)