



156 Epping Road Exeter, NH 03833

800-261-7219

**Stock Number: #468342**

**2023 White Autocar DC64**

---

**Details:**

- 2023 NRC 40TB-28'
- Fully Galvanized Deck and Subframe
- Lodar Remote
- 20k Winch
- Cummins X12
- 500HP
- Allison 4500, 6-speed
- Full Chassis / Body spec attached

**Price \$279,163**



# Chassis Specification

			Description	Front Weight	Rear Weight	Price
<b>AUTOCAR TRUCKS</b>						
S	0043001	MODELS	DC64- VOC	8,558	5,641	
S	5000001	CAB SHELL	SINGLE LEFT HAND DRIVE CAB	0	0	0
O	100U002	CUSTOMER TYPE	PUBLIC/PRIVATE	0	0	0
<b>VEHICLE ADAPTATION</b>						
S	114010	COUNTRY OF USE	UNITED STATES STD MARKET ADAPTATION	0	0	0
<b>SOLUTION</b>						
A	C01QXX	APPLICATION	Wrecker NRC Body	0	0	0
A	C02QXX	BODY TYPE	NRC Wrecker Body	0	0	0
O	C03001	TERRITORY	EAST COAST	0	0	0
A	C04QXX	BODY COMPANY	New England Truck Center/NRC	0	0	0
A	C06QXX	BODY STYLE	NRC Wrecker	0	0	0
O	C05022	TOTAL BODY CAPACITY - BODY/HOPPER	22 YARD	0	0	0
S	C070001	FUEL SYSTEM TYPE	DIESEL	0	0	0
O	C080002	REAR SUSPENSION TYPE	AIR RIDE REAR SUSPENSION	0	0	0
O	C090004	AXLE QUANTITY	4 AXLE	0	0	0
A	D010181	FRONT GAWR	18100 LBS	0	0	0
O	D020400	REAR GAWR	40000 LBS	0	0	0
O	D040135	PUSHER AXLE GAWR	13500 LBS	0	0	0
A	D100716	GVWR	71600 LBS	0	0	0
<b>ENGINE</b>						
O	1012304	ENGINE ASSY	X12, 500HP / 2000RPM / 1700 LB-FT, CUMMINS	439	0	
S	972A002	SPECIAL EMISSION CERTIFICATION LABELS	EPA CERTIFIED - NO LABEL REQUIRED (DIESEL)	0	0	0
S	9722022	CERTIFICATION- EMISSIONS	COMPLIES WITH 2022 U.S. EMISSIONS	0	0	0
<b>ENGINE EQUIP</b>						
S	128071	ENGINE CONTROL SPECIFICATIONS	DEFAULT SPECS	0	0	0
O	1293000	ENGINE ELECTRONICS	CUMMINS DIESEL 500K, W/PARKED MANUAL REGEN AND REGEN INHIBIT SWITCHES	0	0	13
O	1313000	BRAKE-ENGINE	C BRAKE BY JACOBS 3 POSITION	0	0	2,154

S	132034	ENGINE PROTECT SYSTEM/WARNINGS	AUDIBLE/VISUAL ALARM/LOP, HT, LWL	0	0	0
O	4380014	FILTER-FUEL, CHASSIS MOUNTED	FLEETGUARD FH230, NO HEAT	0	0	87
S	1700003	FILTER-FUEL, ENGINE MOUNTED	SPIN-ON, ENGINE MOUNTED	0	0	0
S	1750001	ENGINE OIL	STANDARD ENGINE OIL	0	0	0
O	185002	HEATER-ENGINE OIL PAN	ZERO-START,120V-150W, OIL PAN HEATER	0	0	130
O	180021	ENGINE BLOCK HEATER	PHILLIPS 120V 1500W	1	0	115
O	1810004	HEATER RECEPICAL LOCATION-ENGINE	RECEPTACLE LOCATED AT CAB STEPS, LH SIDE	5	1	100
S	2120003	RADIATOR SURGE TANK	STANDARD SURGE TANK W/ SIGHT GLASS	0	0	0
S	2003000	RADIATOR	HIGH CAPACITY ALUMINUM 1380 SQ INCH	0	0	0
O	236002	MUFFLER SUPPORT	STANDARD CHROME ACCESS PANELS FOR SMA	0	0	1,600
S	2083000	FAN & DRIVE-ENGINE	2 SPEED FAN W/ BORG WARNER CLUTCH	0	0	0
S	2203000	AIR CLEANER	OPTI AIR 1300 SERIES,PRE- CLEANER INTEGRATED, W/O SAFETY ELEMENT	0	0	0
S	2304001	MUFFLER SYSTEM	RH HORIZONTAL SMA	0	0	0
O	2323005	EXHAUST STACKS	9.3FT NO - POLISHED SS STACK, W/ 90 DEG CHROMED TURN OUT	31	11	1,010
O	2313001	EXHAUST SHIELDS	STAINLESS STEEL POLISHED SHIELD	0	0	811
O	7002000	AIR COMPRESSOR	CUMMINS WABCO 25.9 CFM COMPRESSOR	0	0	0
S	8200003	STARTING MOTOR	DELCO REMY 12V 39 MT W/OCP	0	0	0
S	8023002	ALTERNATOR	DELCO REMY 12V 160AMP 28SI	0	0	0
O	P010068	VEHICLE GOVERNED SPEED LIMIT	SPEED LIMIT 68MPH	0	0	0
S	P020001	ENGINE IDLE SHUT DOWN	ENGINE IDLE SHUT DOWN ENABLED ( 5 MINUTES )	0	0	0
S	P030001	CRUISE CONTROL PARAMETER	CRUISE CONTROL ENABLED	0	0	0
S	P100001	REGEN IN PTO	REGEN IN PTO = DISABLED	0	0	0
S	P641200	RPM PTO MODE	1200 RPM MAX IN PTO	0	0	0
S	P661200	PTO ACCELERATOR OVERRIDE MAX ENGINE SPEED	PTO ACCELERATOR OVERRIDE MAX ENGINE SPEED = 1200 RPM	0	0	0
S	P701200	PTO SET SWITCH	PTO SET SWITCH = 1200 RPM	0	0	0

S	P711000	<b>PTO RESUME SWITCH</b>	PTO RESUME SWITCH = 1000 RPM	0	0	0
O	P721000	<b>PTO ADDITIONAL SWITCH SPEED</b>	PTO ADDITIONAL SWITCH SPEED = 1000 RPM	0	0	0
S	P730500	<b>PTO RAMP RATE INCREMENT</b>	PTO RAMP RATE INCREMENT = 500 RPM	0	0	0
O	P750002	<b>REMOTE PTO</b>	REMOTE PTO ENABLED	0	0	0
I	P760001	<b>NO. OF SPEED SETTINGS - REMOTE PTO</b>	REMOTE PTO # OF SPEED SETTINGS = 1. WE CAN USE BODY BUILDER CONNECTOR RP170	0	0	0
O	P830001	<b>IGNORE VSS IN PTO MODE</b>	IGNORE VSS IN PTO MODE = ENABLED	0	0	0

## TRANSMISSION

O	2700028	<b>TRANSMISSION</b>	ALLISON 4500 SERIES,6-SPEED	328	85	
A	258QXX	<b>VOCATION</b>	RDS ON HIGHWAY Wrecker Truck	0	0	0
S	26A0001	<b>TRANSMISSION SHIFT SCHEDULE / FUEL SENSE</b>	PRIMARY PERFORMANCE / SECONDARY ECONOMY	0	0	0
O	PT10001	<b>TRANS DIRECTION CHANGE SHIFT INHIBIT</b>	SHIFT INHIBIT ENABLED	0	0	0
O	269A003	<b>AUTO NEUTRAL</b>	AUTO-NEUTRAL ,DUAL INPUT ,W/O SWITCH	0	0	0
O	269B001	<b>AUXILIARY HOLD</b>	NO AUXILARY HOLD	0	0	0
S	269C001	<b>PUMP MODE INPUT</b>	NO PUMP MODE INPUT (4TH LOCKUP)	0	0	0
O	2690019	<b>CONTROL MODULE (ELECT)</b>	AUTO-NEUTRAL W/ SERVICE BRAKE, VP170	0	0	0
S	290003	<b>TRANSMISSION OIL FILL/CHECK</b>	OIL FILL TUBE / DIPSTICK W/ LEVEL SENSOR	0	0	0
O	300013	<b>DRIVESHAFT-MAIN</b>	SPICER 1810HD HALF ROUND	0	0	70
D	DLR317	<b>PTO-TRANSMISSION MOUNTED</b>	NO TRANSMISSION MOUNTED PTO PROVIDED/ Customer Will use Chelsea PTO	0	0	0

## FRONT AXLE

S	3693001	<b>FRONT AXLE POSITION</b>	49 INCHES AXLE SETBACK POSITION	0	0	0
S	3703000	<b>FRONT AXLE</b>	HENDRICKSON STEERTEK NX, 20000 LB RATING	0	0	0
S	3713000	<b>FRONT SUSPENSION</b>	HENDRICKSON 20,000 LB TAPER LEAF GROUND CAP	0	0	0
S	371T98	<b>SUSPENSION, FRONT AUX</b>	NO AUX LOAD CUSHION PROVIDED	0	0	0
S	373002	<b>SHOCK ABSORBERS-FRONT</b>	DOUBLE ACTING SINGLE - HEAVY DUTY	0	0	0

O	751E002	<b>BRAKES-FOUNDATION, FRONT AXLE</b>	DISC BRAKES FRONT	0	0	0
S	904011	<b>HUBS-FRONT</b>	STEEL HUB PILOTED,285MM BOLT CIRCLE	0	0	0
S	9400001	<b>WHEEL OIL SEALS-FRONT</b>	SCOTSEAL PLUS XL	0	0	0
O	9212000	<b>HUB CAPS - FRONT AXLE</b>	STEMCO DEFENDER HUB CAP W/ESP PLUG	1	0	10
S	374002	<b>FRONT AXLE LUBRICANT</b>	SYNTHETIC,DANA SPICER EP75W90,OR EQUIV	0	0	0
O	7510011	<b>BRAKES-FOUNDATION, FRONT AXLE</b>	MERITOR EX - 225 AIR DISC BRAKES	141	-44	3,100
O	754998	<b>BRAKE SLACK ADJUSTERS -FRONT AXLE</b>	NO FRONT SLACK ADJUSTERS PROVIDED	-14	0	-119
O	9010003	<b>BRAKE DRUM-FRONT</b>	ROTORS - CAST IRON, VENTED, INBOARD MTD	0	0	601
S	3833000	<b>STEERING GEAR</b>	INTEGRAL POWER STEERING DUAL GEAR SHEPPARD M100	0	0	0
S	387003	<b>POWER STEERING RESERVOIR</b>	FOUR QUART REMOTE MOUNTED	0	0	0

#### REAR AXLE

O	3300041	<b>REAR DRIVE AXLE-SINGLE &amp; TANDEM</b>	MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)	-8	-407	-3,002
S	330U98	<b>REAR AXLE LUBE PUMP</b>	NO LUBRICATION PUMP	0	0	0
A	331QXX	<b>REAR DRIVE AXLE RATIO</b>	Customer requires a 3.70	0	0	0
O	333014	<b>REAR DRIVE AXLE ANTI-SPIN DEVICES</b>	FOUR WHEEL LOCK	1	78	1,070
O	3500014	<b>REAR SUSPENSION</b>	HENDRICKSON PAX-EX-462, AIR RIDE @ 54", 46,000 LB CAP	0	224	1,564
S	350X095	<b>REAR SUSPENSION RIDE HEIGHT</b>	9.5 RIDE HEIGHT	0	0	0
O	3570001	<b>REAR SUSPENSION AIR CONTROL</b>	DUMP VALVE W SUSPENSION PRESSURE GAUGE	0	0	225
U	357QXX	<b>REAR SUSPENSION AIR CONTROL</b>	Indicator Light warning that suspension has been deflated. DUMP VALVE W SUSPENSION	0	0	0
S	358005	<b>TORQUE RODS</b>	LONGITUDINAL & TRANSVERSE - RUBBER BUSHED	0	0	0
O	359006	<b>SHOCK ABSORBERS-REAR</b>	FOR AIR SUSPENSION	0	31	316
S	761E001	<b>BRAKES-FOUNDATION, REAR AXLE</b>	DRUM BRAKES REAR	0	0	0
O	9130002	<b>HUBS-REAR</b>	ALUM HUB, HP 10 STUD	0	-812	225
O	3403000	<b>REAR AXLE BREATHER</b>	EXTENDED AXLE BREATHER	0	7	59
S	9410001	<b>WHEEL OIL SEALS-REAR</b>	SCOTSEAL PLUS XL	0	0	0

S	339002	REAR AXLE LUBRICANT	SYNTHETIC	0	0	0
S	7610003	BRAKES-FOUNDATION, REAR AXLE	MERITOR 16.5X7 Q PLUS	0	0	0
S	764013	BRAKE SLACK ADJUSTERS -REAR AXLE	MERITOR AUTOMATIC,TANDEM AXLE	0	0	0
O	7810004	BRAKE CHAMBERS- PARKING, TYPE/VENDOR	CAM HALDEX GOLDSEAL TYPE 36 SPRING CHAMBER (4)	0	0	175
S	9103000	BRAKE DRUM-REAR	CAST IRON STANDARD DRUM	0	0	0

### AUXILIARY AXLES

O	3P12002	PUSHER AXLE #1	HENDRICKSON COMPOSILITE EXS STEERABLE PUSHER, 13500 LBS CAPACITY	156	513	8,875
O	3PQ0001	PUSHER AXLE QUANTITY	PUSHER AXLE QTY. 1	0	0	0
A	3PSQXX	PUSHER AXLE #1 SPACING	135" Pusher Axle Spacing. From Centerline of Forward of Drive Axle	0	0	0
O	9P10001	PUSHER AXLE HUBS	STEEL HUBS, 11.25" BOLT CIRCLE	129	144	0
O	9P60001	PUSHER AXLE WHEEL SEALS	SCOTSEAL PLUS XL	0	1	63
O	9P80001	PUSHER AXLE HUB CAPS	CR ZYTEL HUB CAPS	1	1	38
O	7P20004	PUSHER AXLE BRAKES	HENDRICKSON INTERGRAL 15X4	10	0	450
O	7P40001	PUSHER AXLE SLACK ADJUSTERS	MERITOR AUTOMATIC	7	7	119

### BRAKES

S	729002	AIR LINES-PARKING BRAKE, CHASSIS	AIR LINES CHASSIS PARK BRAKE	0	0	0
U	729QXX	AIR LINES-PARKING BRAKE, CHASSIS	SBM Valve Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle	0	0	0
S	7412002	BRAKE CONTROL SYSTEM	MERITOR WABCO ABS 6S/6M W/PLC AND ATC	0	0	0
O	766004	BRAKE VALVE-HAND CONTROL	TO REAR SERVICE BRAKES	4	0	50

U	766QXX	<b>BRAKE VALVE-HAND CONTROL</b>	Wrecker AE Connection EOF On Moveable Crossmember Dash mounted air toggle valve plumbed to service brakes, steering column mounted hand valve plumbed to EOF air lines, 7-way socket (occupies the space of one gauge), winch brake switch on dash	0	0	0
O	782018	<b>BRAKE VALVE-PARKING CONTROL</b>	TRAILER/TRACTOR PARK AND SUPPLY VALVE	4	0	151

### CHASSIS

O	400285	<b>WHEELBASE</b>	285 INCHES	278	279	551
O	402068	<b>FRAME-REAR OVERHANG</b>	68"	14	293	0
S	4033002	<b>FRAME RAILS</b>	10.875" STRAIGHT RAILS 160 KSI , 3.72M LBF.IN , 7/16"	761	554	0
S	4073000	<b>FRAME-FRONT EXTENSION</b>	STANDARD FRONT END	0	0	0
S	406001	<b>FRAME-REAR CUT-OFF</b>	STRAIGHT	0	0	0
S	409002	<b>FRAME CROSSMEMBER-CENTER</b>	ALUMINUM	0	0	0
S	460001	<b>BUMPER-FRONT</b>	STEEL PAINTED	0	0	0
S	4803001	<b>TOWING DEVICE-FRONT</b>	DUAL TOW PINS – 80,000 LBS TOWING CAPACITY	0	0	0
S	8742000	<b>WIRING, BODY INTERFACE</b>	RP 170 COMPLIANT	0	0	0
A	430QXX	<b>FUEL TANK-LEFT</b>	125 GAL 26" DIA POLISHED ALUMINUM	0	0	0
S	2393002	<b>UREA DELIVERY SYSTEM</b>	LH FRAME MNTD, 12GAL, NON LOCKABLE CAP	0	0	0
S	432002	<b>FUEL TANK STRAP/SUPPORT LEFT</b>	PAINTED STEEL, LH	0	0	0
S	4280001	<b>DRILLING FUEL TK SUPT-LEFT</b>	FUEL TANK MTD FWD LHS - STANDARD (IF PROVIDED)	0	0	0
S	4363000	<b>FUEL LINES</b>	SAE J1402A1 WIRE BRAIDED	0	0	0
S	8120006	<b>BATTERY BOX</b>	STEEL BOX, 3 BATTERY, RHS	0	0	0
A	809QXX	<b>BATTERY BOX DRILLING</b>	battery box had to be moved forward by 3 inches so no jump studs will fit if required.	0	0	0
S	810089	<b>BATTERY</b>	3 JOHNSON CONTROL 31ECL 12V 2250CCA	0	0	0
S	8140002	<b>BATTERY SHUT-OFF SWITCH</b>	SHUTOFF W/ LOCKOUT, NO EMERGENCY JUMPER STUDS	0	0	0
O	7110002	<b>AIR TANK-BRAKE</b>	ALUMINUM AIR TANKS	-8	-12	185
S	7090002	<b>AIR TANK DRILLING</b>	AIR TANKS IN STANDARD POSITION	0	0	0
S	715001	<b>WET TANK DRAIN</b>	MANUAL TYPE PETCOCK	0	0	0

O	715T003	<b>AIR RESERVOIR DRAIN SYSTEM</b>	CENTRAL MANIFOLD W/ PETCOCKS	0	0	75
O	7130001	<b>AIR DRYER</b>	WABCO 1800P	0	0	38
S	7103002	<b>AIR DRYER DRILLING</b>	MOUNT AIR DRYER INSIDE RAIL, BEHIND BACK OF CAB	0	0	0
S	724001	<b>AIR LINES-CAB</b>	SAE J844 NYLON TUBING	0	0	0
S	728001	<b>AIR LINES-MAIN, CHASSIS</b>	SAE J844 NYLON TUBING	0	0	0
O	7943000	<b>TRAILER AIR CONNECTIONS-END OF FRAME</b>	TRAILER AIR CONNECTIONS - END OF FRAME	0	0	450
O	8943000	<b>TRAILER ELECT CONNECTION-END OF FRAME</b>	TRAILER ELECT. CONN. E.O.F	-11	20	9

### **CAB EXTERIOR**

O	6773000	<b>EXTERIOR TRIM PACKAGE</b>	CAB EXTERIOR CHROME PACKAGE	0	0	0
S	6703001	<b>HOOD</b>	SINGLE PIECE HEAVY DUTY FIBERGLASS W/FENDERS	0	0	0
O	6723001	<b>GRILLE</b>	CHROME AUTOCAR GRILLE HOOD MNTD	0	0	74
O	6173001	<b>HOOD MOUNTED MIRRORS</b>	MIRRORS, CHROME, ROUND	8	-1	193
O	5023001	<b>CAB DOORS</b>	POWER DOOR LOCKS DRIVER AND PASSENGER SIDE	0	0	49
O	5043000	<b>CAB SKIRT</b>	POLISHED STAINLESS STEEL CAB SKIRT	4	1	676
S	5103000	<b>GLASS</b>	SINGLE PIECE WINDSHIELD, LAMINATED, TINTED, ROPED -IN	0	0	0
O	511001	<b>VISIBILITY WINDOW</b>	RIGHT HAND DOOR	7	1	510
S	5123000	<b>POWER WINDOWS</b>	POWER WINDOWS DRIVER AND PASSENGER SIDE	0	0	0
O	6203001	<b>SUN VISOR-EXTERIOR</b>	POLISHED STAINLESS STEEL	32	3	359
O	6223007	<b>MIRRORS-MAIN DOOR MOUNTED</b>	MIRROR, CHROME WITH LWR CONVEX, WITH HEAT, WITH POWER, WITH MARKER LIGHT/TURN SIGNAL	1	0	271
O	6180001	<b>DOWN VIEW MIRRORS</b>	SINGLE DOWN VIEW MIRROR, RH SIDE	1	0	30
O	630022	<b>HORN-AIR</b>	AIR HORN MOUNTED UNDER CAB	0	0	160
S	631001	<b>HORN-ELECTRIC</b>	SINGLE	0	0	0
O	675001	<b>BUG SCREENS</b>	BUG SCREEN MOUNTED BEHIND GRILLE	-5	0	50

### **CAB INTERIOR**



O	3803001	STEERING WHEEL	18" BLACK LEATHER WRAPPED RED STITCHING WHEEL, CROME SPOKES, AUTOCAR LOGO	0	0	61
S	3810002	STEERING COLUMN	TILT AND TELESCOPIC STEERING COLUMN	0	0	0
O	5203000	SEAT-DRIVER	BOSTROM T914, AIR RIDE,HI- BACK, DUAL ARMRESTS, MANUAL LUMBAR, BLACK MORDURA CLOTH	0	0	67
O	5213000	SEAT-PASSENGER	BOSTROM T914, AIR RIDE,HI- BACK, DUAL ARMRESTS, MANUAL LUMBAR, BLACK MORDURA CLOTH	0	0	196
S	522003	SEAT BELTS-DRIVER	THREE POINT RETRACTABLE	0	0	0
S	523003	SEAT BELTS-PASSENGER	THREE POINT RETRACTABLE	0	0	0
O	5523000	INT TRIM BACK PNLS	PADDED TRIM COVER, BACK PANEL	1	1	62
O	53A3000	DOOR PADDED TRIM	PADDED DOOR TRIM COVER	0	0	66
O	5333001	CAB PANELS-DOOR	DOOR PANEL LH WITH HD KICK PLATE , RH WITH POCKET	1	0	39
O	5383001	CARPET & MAT	HD ABRASION RESISTANT SURFACE WITH 1/2" ACOUSTICAL BARRIER WITH ALUM DIAMOND PLATE INSERT LH	3	0	64
O	5483000	REAR STORAGE COMPARTMENT	STORAGE COMPARTMENT MOUNTED TO REAR BACK PANEL	3	1	85
O	5983001	CAMERA DISPLAY MONITOR	RAM TABLET MOUNTING ARM, WITH TAB LOCK HOLDER	2	0	55
O	8753001	ADDITIONAL ELEC. SWITCHES	6 SPEMCO BB PANEL SWITCHES 3 PWR 3 ACC	2	0	204

### CAB CLIMATE CONTROL

S	0600002	CAB TEMPERATURE SYSTEM	DUAL EVAPORATOR A/C WITH HEATER / DEFROSTER (RAD MOUNT CONDENSER)	0	0	0
---	---------	---------------------------	-------------------------------------------------------------------------	---	---	---

### GAUGES & INSTRUMENTATION

O	79B3000	GAUGE TRAILER AIR PRESSURE	ELECTRONIC TRAILER EMERGENCY/PARK AIR PRESS GAUGE	0	0	300
O	1443004	DRIVER INFORMATION CENTER	SEVEN INCH DISPLAY WITH 6 GAUGES - PREMIUM OPTION	0	0	425
O	1390001	GAUGE-ENGINE OIL TEMPERATURE	ELECTRONIC ENGINE OIL TEMPERATURE	0	0	133

O	2133000	FAN MANUAL OVERRIDE	FAN MANUAL OVERRIDE SWITCH	0	0	23
S	225009	AIR INTAKE RESTRICTION INDICATOR	GRADUATED, AIR CLEANER MOUNTED	0	0	0
O	2883000	MONITORING - TRANSMISSION OIL TEMP	ELECTRONIC TRANSMISSION TEMPERATURE	0	0	122
O	3193001	PTO CONTROLS	PTO ELECTRIC CONTROL SWITCH DASH MOUNTED	0	0	95
S	337001	INTERAXLE DIFFERENTIAL LOCKOUT CONTROLS	DASH MOUNTED WARNING LIGHT & CONTROL	0	0	0
S	1472001	VEHICLE MONITORING SYSTEM	AUTOCAR ADVANCED TELEMATICS - FULL INSTALLATION	0	0	0

## LIGHTING

S	8360003	LAMPS-HEAD	LED HEADLAMPS	0	0	0
O	8380002	LAMPS-BACKUP	DUAL ROUND LED BACK-UP LAMPS	-1	1	190
S	8390002	STOP-TAIL HARNESS	OMIT TAIL LAMPS, BB CONN @ EOF	0	0	0
S	8410002	LAMPS-TURN SIGNAL - FRONT	LED FRONT TURN SIGNALS	0	0	0
S	8510002	LAMPS-MARKER	AMBER LED ROOF MARKERS	0	0	0
S	859001	LAMPS-RUNNING	DAYTIME	0	0	0
S	8643000	LAMPS-CAB INTERIOR	LED LAMP INTERIOR, DOOR, ROOF	0	0	0
O	8663000	LAMPS-SPOT	LIGHT PREP CONNECTION BACK OF CAB WITH SWITCH	4	1	112
O	86C3000	UNDERHOOD SERVICE LIGHTS	UNDERHOOD SERVICE LIGHTS	0	0	102

## RADIO/MISC

O	5090001	KEY & LOCK SETS-IGN/DOORS	2 ADDITIONAL KEYS PER TRUCK (4 TOTAL)	0	0	5
O	5903001	RADIO	CUSTOM RADIO CSS-6020BJ AM/FM/WB/BT/USB/J1939/MIC	0	0	73
S	5910002	ANTENNA/POWER SUPPLY	ANTENNA - ROOF MOUNTED	0	0	0
O	5963000	RADIO SPEAKERS	KENWOOD 5.25" REAR , 4" FRONT	3	1	131
O	5973000	2 WAY RADIO	CB RADIO READY OVERHEAD MOUNTED	2	0	98
S	8730001	WIRING-CAB	RADIO SHUT-OFF IN REVERSE	0	0	0
O	962003	FIRE EXTINGUISHER	DRY TYPE ABC 5LB. CAP MTD. IN CAB	5	1	110
O	963001	FLARE KIT	MOUNTED TO RH OF DRIVER SEAT ON FLOOR	4	1	85

**FRONT TIRES / WHEELS**

I	9312006	TIRE MANUFACTURER & TREAD - FRONT	MICHELIN X WORKS Z	0	0	346
S	930469	TIRE SIZE & LOAD RANGE - FRONT	315/80R22.5L	0	0	0
O	9050037	WHEELS-DISC FRONT	22.5X9.0" ALUMINUM, 3.12" INSET, ALCOA	-564	0	442
O	9240001	WHEEL POLISHING & BRIGHTWORK-FRONT AXLE	DURA BRIGHT FINISH	0	0	576

**REAR TIRES / WHEELS**

A	934QXX	TIRE MANUFACTURER & TREAD - REAR	MICHELIN X MULTI D 295/60R22.5. NEED TO FIX CRR WHEN REC'D	0	0	0
A	933QXX	TIRE SIZE & LOAD RANGE - REAR	295/60R22.5J	0	0	0
X	9142001	WHEELS-DISC REAR	22.5X9.0" ALUMINUM, 6.0" INSET, ALCOA	0	-776	3,040
O	9250001	WHEEL POLISHING & BRIGHTWORK-REAR AXLE	DURA BRIGHT FINISH	0	0	288

**AUXILIARY AXLE TIRES**

O	9PQ0002	PUSHER AXLE TIRE QUANTITY	2 TIRES, PUSHER AXLE	0	0	0
A	9P5QXX	PUSHER AXLE TIRE TREAD	MICHELIN 18ply 295/60R22.5 X Line Energy Z	0	0	0
A	9P4QXX	PUSHER AXLE TIRE SIZE	295/60R22.5J	0	0	0
X	9P22001	PUSHER AXLE WHEELS	22.5x9.0" ALUMINUM HP, 5.96" INSET, ALCOA #894U64	112	124	470
O	9P30001	PUSHER AXLE WHEEL POLISH	DURA BRIGHT FINISH	0	0	580
S	9TQ0000	TAG AXLE TIRE QUANTITY	NO TAG AXLE TIRES PROVIDED	0	0	0

**PAINT**

S	950001	CAB PAINT SCHEME	SINGLE COLOR PAINT	0	0	0
S	9550001	CAB PAINT TYPE	STANDARD WHITE	0	0	0
S	9801002	CAB COLOR-FIRST	APPROVED -- DPSS-N0007EX -- STANDARD WHITE N0007	0	0	0
S	950H001	HOOD PAINT SCHEME	SINGLE COLOR PAINT	0	0	0
S	955H001	HOOD PAINT TYPE	STANDARD WHITE	0	0	0
S	980H102	HOOD COLOR-FIRST	APPROVED -- DPSS-N0007EX -- STANDARD WHITE N0007	0	0	0
S	9861U1	CHASSIS COLOR	BLACK P3036	0	0	0
S	987949	BUMPER COLOR	SAME AS CHASSIS, UNPAINTED ALUM OR CHROME	0	0	0

S	988401	<b>DISC WHEEL OR RIM COLOR</b>	STEEL, E-COAT WHITE / ALUM-UNPAINTED	0	0	0
S	989949	<b>AXLE WHEEL END COLOR</b>	SAME AS CHASSIS	0	0	0

#### **ADDITIONAL OPTIONS**

S	899002	<b>CHASSIS WARRANTY</b>	STANDARD WARRANTY	0	0	0
S	899A300	<b>TRANSMISSION WARRANTY</b>	ALLISON 3YR. WARRANTY	0	0	0
S	899B001	<b>ENGINE WARRANTY</b>	CUMMINS STANDARD WARRANTY	0	0	0
S	978015	<b>FLOOR PLAN</b>	15 DAYS FLOORING	0	0	0

#### **SUB TOTALS**

BASE WEIGHT/PRICE	8,558	5,641	
FACTORY OPTION WEIGHT/PRICE	1,895	333	
DISTRIBUTOR OPTION WEIGHT/PRICE	0	0	0

#### **TOTALS**

# Quote

156 Epping Rd.  
Exeter, NH 03833  
(603)778-8158  
www.netruckcenter.com

Date	Estimate #
1/6/2023	468342

Name / Address
New England Truck Center 156 Epping Road Exeter, NH 03833

OP#	PO #
468342	STOCK

Item	Description	Qty	Total
Chassis	2024 WHITE AUTOCAR VIN# 241152 FET INCLUDED	1	191,788.96
Bodies	2023 40TB-28' SERIAL# TBD	1	62,400.00
FET Payable	BODY FET	1	9,222.25
C-NC21	40 000 TB	1	0.00
C-4028	28' - 40 000 TB	1	0.00
C-NC46	COMPLETE EQUIPMENT	1	0.00
C-D415	5 CHAIN SLOTS PER SIDE (18 TOTAL FOR 25', 26', 27', 28', 29', 30')	1	0.00
C-D44-4	SINGLE ROW OF (4) EXTRA CHAIN SLOTS IN THE CENTER OF DECK	1	0.00
C-DO	1/4" STEEL CHECKER PLATE (STANDARD FOR 40 000-TB)	1	0.00
C-DISCLAIMER	CUSTOMER, FINAL PURCHASER OR END USER HAS BEEN INFORMED OF THE RISKS AND BENEFITS OF HOT DIP GALVANIZING (HDG) OF HIS NRC CAR CARRIER DECK	1	0.00
C-C3	FLAT TOP DECK WITH STAKE POCKET, WITHOUT REMOVABLE RAILS	1	0.00
C-B3S	3" HIGH X 9" SPACING (STANDARD FOR 30 000-TB AND 40 000-TB)	1	0.00
C-L16	5 MARKER LIGHTS PER SIDE	1	0.00
C-T04-1	DP 20,000 LBS WITH 5/8" X 75' WIRE ROPE(STANDARD FOR 40 000-TB)	1	0.00
C-NC156	WINCH AIR FREE SPOOL ON LEFT HAND SIDE (NC)	1	0.00
C-NC30	75' STEEL WIRE ROPE	1	0.00
C-CR01	SWIVEL HOOK	1	0.00
C-NC25	TANDEM AXLE	1	0.00
C-12V	12V WIRING	1	0.00
C-E51	HEAVY DUTY TOW BAR T-BAR 4" X 4" (STD)	1	0.00
C-G20	GALVANIZED SUB-FRAME AND BUMPER	1	0.00
C-NC17	CLEAR MARKER LIGHT	1	0.00
C-L118	8 X 4 1/2" LIGHT (6 RED (STOP-FLASH) / 2 BACKUPS) - ON BUMPER	1	0.00
		<b>Total</b>	

# Quote

156 Epping Rd.  
Exeter, NH 03833  
(603)778-8158  
www.netruckcenter.com

Date	Estimate #
1/6/2023	468342

Name / Address
New England Truck Center 156 Epping Road Exeter, NH 03833

OP#	PO #
468342	STOCK

Item	Description	Qty	Total
C-NC11	LEVER CONTROL STANDARDS	1	0.00
C-S052	STAINLESS ON REAR BUMPER	1	0.00
C-G012	STABILIZER GRIP (30,000 & 40,000 LBS) (4X4)	1	0.00
C-L112-1	2 LED WORK LIGHTS ON TOP OF THE REAR BUMPER	1	0.00
C-A432	TRAILER HITCH & PINTLE HOOK ADAPTOR (4 HOLES) (T-BAR 4X4)	1	0.00
C-A1	STANDARD CHAIN RACK	1	0.00
C-A12	STD WINCH EMBEDDED IN CHAIN RACK	1	0.00
C-L118	8 X 4 1/2" LIGHT (6 RED (STOP-FLASH) / 2 BACKUPS) - ON BUMPER	1	0.00
C-NC40	CHAIN RACK NRC BLACK PAINT	1	0.00
C-S093	STAINLESS ON SIDES AND HEAD OF CHAIN RACK	1	0.00
C-L112-1	2 LED WORK LIGHTS ON TOP OF THE REAR BUMPER	1	0.00
C-LO6P	WIRELESS REMOTE CONTROL LODAR 6 BUTTONS	1	0.00
C-A421	RECOVERY ROLLER GUIDE (ROLLBACK)	1	0.00
C-S056	STAINLESS ON OIL TANK	1	0.00
C-NC110	WIRED TOWLIGHT ONLY	1	0.00
C-T6	TOUCHPAD WITH FUSELESS LIGHTING SYSTEM CONTROLLER	1	0.00
C-P-O	NO NEW CUSTOM REQUEST	1	0.00
C-PGAL-2	DECK GALVANIZED (OPTION FOR 24'-30' DECKS) UNCONFIGURABLE ITEMS	1	0.00
DESTTRANSPORT	DESTINATION TRANSPORT CHARGE	1	1,300.00
DEALERINSTALL	DEALER INSTALL W/ PTO	1	9,750.00
72AMBJUSTLB-INST	72" AMBER JUSTICE LIGHT BAR INSTALLED	1	2,050.00
TU824003-INST	60" STAINLESS TOOLBOX INSTALLED	2	2,652.08
40TBINSTALKIT-IN...	40TB INSTALL KIT	1	0.00
4409T67-INST	HOSE TRACK INSTALLED	1	0.00
SUBLET NETC BOD...	STANDARD STOCK PAINT / DETAIL	1	0.00
<b>Total</b>			\$279,163.29

ONCE THE BUYER ACCEPTS THIS ORDER, THE BUYER'S DEPOSIT IS NOT REFUNDABLE UNLESS THE BUYER CANNOT TAKE DELIVERY OF SAID VEHICLE(S) FOR A REASON BEYOND THE BUYER'S CONROL. IN THAT EVENT, THE DEALER MAY, BUT WILL NOT BE REQUIRED TO, RETURN THE DEPOSIT TO THE BUYER, LESS ANY EXPENSES WHICH THE DEALER HAS INCURRED IN ACCEPTING AND PROCESSING THIS ORDER. THE BUYER'S FAILURE TO OBTAIN FINANCING BEFORE SCHEDULED DELIVERY IS NOT A REASON BEYOND THE BUYER'S CONTROL. THE BUYER WILL ALSO BE SUBJECT TO ANY PRICE INCREASES THAT ARE RECEIVED BY THE DEALER PERTAINING TO THE CHASSIS OR BODY. BY SIGNING THIS THE BUYER ACKNOWLEDGES HAVING READ AND AGREEING TO THESE TERMS AND CONDITIONS.

Signature \_\_\_\_\_



### **Terms & Conditions**

- Once the buyer accepts this order, the buyer's deposit is not refundable unless the buyer cannot take delivery of the said vehicle(s) for a reason beyond the buyer's control. In that event, the dealer may, but will not be required to return the deposit to the buyer, less any expenses which the dealer has incurred in accepting and processing this order. The buyer's failure to obtain financing before scheduled delivery is not a reason beyond the buyer's control.
- The buyer will be subject to any price increase and or surcharge that are received by the dealer pertaining to the chassis or body.
- The buyer will be subject to any price increase on raw materials / parts that are incurred from the time of placing the order to the actual time of build and delivery of the unit(s).
- By signing this the buyer acknowledges having read and agreeing to these terms and conditions.

Date: \_\_\_\_\_

Signature of Purchaser: \_\_\_\_\_

Opp# \_\_\_\_\_ Chassis: \_\_\_\_\_ Body: \_\_\_\_\_

NETC Representative: \_\_\_\_\_

*"Everything Truck"*

156 Epping Road Exeter **NH** 03833 +1 603 778 8158

[www.NEtruckcenter.com](http://www.NEtruckcenter.com)