

### 156 Epping Road Exeter, NH 03833

## 800-261-7219


## Stock Number: #Freightliner Ext M2 Plus 20TB 2025 Freightliner Ext Plus

### **Details:**



- 2024 NRC 20TB 22'
- Galvanized Deck and Subframe
- Lodar Remote
- 10k Winch
- Cummins B6.7





Full Chassis / Body spec attached

# Price: \$168,313



### SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-28M	M2 PRL-28M (EFF:MY25 ORDERS)			
Data Version				
DRL-016	SPECPRO21 DATA RELEASE VER 016			
Vehicle Configuration	tion			
001-172	M2 106 PLUS CONVENTIONAL CHASSIS	5,709	3,450	
004-225	2025 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING			
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-002	TRUCK CONFIGURATION			
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
99D-019	CARB EMISSIONS CERTIFICATION NOT FOR INITIAL REGISTRATION IN CALIFORNIA AND CARB OPT-IN STATES -CARB CLEAN IDLE (6X4 INCH LABELS ON LOWER FORWARD DRIVER DOOR)			
AF2-998	NO STATE/PROVINCE INITIAL REGISTRATION SELECTED			
A85-014	WRECKING SERVICE			
A84-1SE	SERVICES BUSINESS SEGMENT			
AA4-011	FIXED LOAD COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-091	MEDIUM TRUCK WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 8000.0 lbs			

Application Version 11.8.106 Data Version PRL-28M.016 NETC M2 EXTENDED 2024

10/15/2023 9:48 PM

	Data Code	Description	Weight Front	Weight Rear	
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 18000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 26000.0 lbs			
Truc	k Service				
	AA3-015	WRECKER/RECOVERY BODY			
	A88-99D	EXPECTED TRUCK BODY LENGTH: 20.0 ft			
	AE2-99D	EXPECTED TRUCK BODY WIDTH : 96.0 in			
	AF3-151	NEW ENGLAND TRUCK EQUIPMENT			
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in			
Engi	ne				
	101-21X	CUM B6.7 300 HP @ 2600 RPM, 2600 GOV, 660 LB-FT @ 1600 RPM			
Elect	ronic Paramet	ters			
	79A-078	78 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			
Ν	79L-005	PTO MODE THROTTLE OVERRIDE - LIMIT TO 1100 RPM			
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
	79P-007	PTO RPM WITH CRUISE SET SWITCH - 1100 RPM			
	79Q-007	PTO RPM WITH CRUISE RESUME SWITCH - 1100 RPM			
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
	79W-008	ONE DASH MOUNTED PTO SPEED WITH PTO SWITCH ENGAGEMENT			
	79X-005	PTO SPEED 1 SETTING - 900 RPM			
	80F-001	AUTOMATIC OIL LIFE MONITOR WITH ALERT AT 5% OF INTERVAL REMAINING			
	80G-004	PTO MINIMUM RPM - 900			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
Ν	80S-001	PTO 1, DASH SWITCH, STATIONARY OPERATION			
Engi	ne Fauinment				

#### **Engine Equipment**

Application Version 11.8.106 Data Version PRL-28M.016 NETC M2 EXTENDED 2024

10/15/2023 9:48 PM

Data Code	Description	Weight Front	Weight Rear
99C-124	EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX CONFIGURATION		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	10	
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF		
016-101	RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH HORIZONTAL TAILPIPE	-50	-50
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER		
239-001	STANDARD EXHAUST SYSTEM LENGTH		
237-052	RH STANDARD HORIZONTAL TAILPIPE		
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	35	10
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
23Z-001	POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		

Data Code	Description	Weight Front	Weight Rear	
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-100	700 SQUARE INCH ALUMINUM RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
138-048	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK HEATER WITH THERMOSTAT	4		
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
134-001	ALUMINUM FLYWHEEL HOUSING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH			
Transmission				
342-1MN	ALLISON 2500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			
Transmission Eq	uipment			
343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS			
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-007	PRIMARY MODE GEARS, 6 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY			
84E-004	ASIAN PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY			

	Data Code	Description	Weight Front	Weight Rear	
	84F-002	VARIABLE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY			
	84G-017	2500 RPM PRIMARY MODE SHIFT SPEED			
	84H-017	2500 RPM SECONDARY MODE SHIFT SPEED			
	84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
	84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
	84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			
	84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			
	353-076	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH BLUNTCUTS			
	362-1U0	CUSTOMER INSTALLED MUNCIE TG6 SERIES PTO			
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
*	345-073	DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITH PARK BRAKE POSITION			
	97G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY			
	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			
	346-001	TRANSMISSION OIL CHECK AND FILL			
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			
Fror	nt Axle and Equ	lipment			
	400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74			

400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-021	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
427-001	FRONT BRAKE DUST SHIELDS
409-006	FRONT OIL SEALS

Application Version 11.8.106 Data Version PRL-28M.016 NETC M2 EXTENDED 2024

10/15/2023 9:48 PM

5

Data Code	Description	Weight Front	Weight Rear	
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
536-050	TRW THP-60 POWER STEERING			
539-003	POWER STEERING PUMP			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			
Front Suspension	L Construction of the second			
620-062	10,000# TAPERLEAF FRONT SUSPENSION			
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equ	uipment			
420-1C7	DETROIT DA-RS-19.0-4 19,000# R-SERIES SINGLE REAR AXLE		-20	
421-478	4.78 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-055	SPL100 DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES	30	30	
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			
87B-026	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5 MPH OR LESS, DISENGAGE W/IGN OFF			
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			
451-023	CONMET CAST IRON REAR BRAKE DRUMS			
425-002	REAR BRAKE DUST SHIELDS		5	
440-006	REAR OIL SEALS			

Application Version 11.8.106 Data Version PRL-28M.016 NETC M2 EXTENDED 2024

10/15/2023 9:48 PM

Page 8 of 18

Data Co	de Description	Weight Weight Front Rear	
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTER	RS	
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 RE AXLE LUBE	EAR	
Rear Suspensi	on		
622-282	AIRLINER 18,000# REAR SUSPENSION	-20	
621-046	AIRLINER MID POSITION RIDE HEIGHT		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE		
87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOF >5 MPH WITH INDICATOR LIGHT	FILL	
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)		
Pusher / Tag E	quipment		
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
Brake System			
018-002	AIR BRAKE PACKAGE		
490-121	WABCO 4S/4M ABS WITH TRACTION CONTRO	OL	
871-001	REINFORCED NYLON, FABRIC BRAID AND WI BRAID CHASSIS AIR LINES	/IRE	
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSUR NO REAR PROPORTIONING VALVE	RE,	
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEAT	TER 20	
479-012	AIR DRYER MOUNTED UNDER HOOD		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
Trailer Connec	tions		

481-998

NO TRAILER AIR HOSE

Application Version 11.8.106 Data Version PRL-28M.016 NETC M2 EXTENDED 2024

10/15/2023 9:48 PM

Page 9 of 18

	Data Code	Description	Weight Front	Weight Rear	
	476-998	NO AIR HOSE HANGER			
	310-998	NO TRAILER ELECTRICAL CABLE			
Wheel	base & Frame	9			
	545-642	6425MM (253 INCH) WHEELBASE			
	546-093	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8/0.344X10.19 INCH) 80KSI	370	110	
	552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 161.81 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 158.81 in			
	AE4-99D	CALC'D FRAME LENGTH - OVERALL : 354.92 in			
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 147.63 in			
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 142.44 in			
	553-001	SQUARE END OF FRAME			
	550-001	FRONT CLOSING CROSSMEMBER			
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
	572-001	STANDARD REARMOST CROSSMEMBER			
	565-001	STANDARD SUSPENSION CROSSMEMBER			
Chass	is Equipment	t i i i i i i i i i i i i i i i i i i i			
	556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS	30		
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
	585-998	NO MUDFLAP BRACKETS			
	590-998	NO REAR MUDFLAPS			
	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			

Dat	ta Code	Description	Weight Front	Weight Rear	
607	7-007	CLEAR FRAME RAILS 36 INCHES FROM BACK OF CAB INSIDE/OUTBOARD/BELOW BOTH FRAME RAILS			
Fifth Whee	I				
578	3-998	NO FIFTH WHEEL			
Fuel Tanks	;				
206	6-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - RH	100	30	
204	-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	10		
218	3-005	RECTANGULAR FUEL TANK(S)			
215	5-004	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
212	2-007	FUEL TANK(S) FORWARD			
664	1-004	POLISHED STAINLESS STEEL STEP FINISH			
205	5-001	FUEL TANK CAP(S)			
122	2-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5		
216	6-020	EQUIFLO INBOARD FUEL SYSTEM			
202	2-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
093	3-2G0	CONTINENTAL HSR2SA 255/70R22.5 16 PLY RADIAL FRONT TIRES	-44		
094	I-1FV	CONTINENTAL HDR 255/70R22.5 16 PLY RADIAL REAR TIRES		-64	
Hubs					
418	3-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS	-30		
450	)-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS		-30	
Wheels					
502	2-766	ALCOA ULA18X 22.5X8.25 10-HUB PILOT 5.81 INSET ALUMINUM DISC FRONT WHEELS	-62		
505	5-766	ALCOA ULA18X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-124	
524	1-022	POLISHED DISC SIDE FRONT WHEELS WITH DURA-BRIGHT FINISH			
525	5-023	POLISHED OUTER (DISHED SIDE) REAR WHEELS WITH OUTER ONLY DURA-BRIGHT FINISH			

	Data Code	Description	Weight Front	Weight Rear	
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
	498-011	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES			
Cab	Exterior				
	829-075	132 INCH BBC HIGH-ROOF EXTENDED ALUMINUM CONVENTIONAL CAB	200	50	
	650-009	RUBBER CAB MOUNTS			
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	678-001	LH AND RH GRAB HANDLES			
	646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE			
	65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
	644-004	FIBERGLASS HOOD			
	690-002	TUNNEL/FIREWALL LINER			
N	727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4		
	726-002	DUAL ELECTRIC HORNS			
	728-001	SINGLE HORN SHIELD			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
	312-088	LED HEADLIGHT ASSEMBLY AND INCANDESCENT MARKER/TURN LAMP WITH CHROME BEZEL			
	302-047	LED AERODYNAMIC MARKER LIGHTS			
	311-001	DAYTIME RUNNING LIGHTS			
	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			
	744-103	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH REMOTE			
	797-001	DOOR MOUNTED MIRRORS			
	796-001	102 INCH EQUIPMENT WIDTH			
	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
	74A-001	RH DOWN VIEW MIRROR			
	729-001	STANDARD SIDE/REAR REFLECTORS			
	677-016	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES			
	764-018	AERO BRIGHT EXTERIOR SUN VISOR	10		
	768-043	63X14 INCH TINTED REAR WINDOW			

10/15/2023 9:48 PM

Da	ta Code	Description	Weight Front	Weight Rear	
66	1-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			
654	4-011	RH AND LH ELECTRIC POWERED WINDOWS			
76	7-048	20X23 INCH LH AND RH TINTED TIP-OUT SIDE WINDOWS			
663	3-013	1-PIECE SOLAR GREEN GLASS WINDSHELD			
659	9-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			
Cab Interio	or				
05	5-019	RUGGED TRIM PACKAGE			
70	7-107	GRAY & CARBON VINYL INTERIOR "RUGGED"			
70	K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)			
706	6-013	MOLDED PLASTIC DOOR PANEL			
708	8-013	MOLDED PLASTIC DOOR PANEL			
772	2-006	BLACK MATS WITH SINGLE INSULATION			
78	5-035	ASH CUP AND (1)LIGHTER,(1)DASH MOUNTED DUAL USB-C OUTLET			
69	1-001	FORWARD ROOF MOUNTED CONSOLE			
693	3-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			
738	8-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
742	2-007	(2) CUP HOLDERS LH AND RH DASH			
680	0-029	M2/SD DASH			
720	0-002	2-1/2 LB. FIRE EXTINGUISHER	5		
700	0-002	HEATER, DEFROSTER AND AIR CONDITIONER			
70	1-001	STANDARD HVAC DUCTING			
703	3-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170	0-015	STANDARD HEATER PLUMBING			
130	0-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702	2-002	BINARY CONTROL, R-134A			
739	9-034	PREMIUM INSULATION			
28	5-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280	0-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324	4-1B2	PREMIUM LED CAB LIGHTING			
78	7-998	NO SECURITY DEVICE			

	Data Code	Description	Weight Front	Weight Rear	
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-004	KEY QUANTITY OF 4			
	655-005	LH AND RH ELECTRIC DOOR LOCKS			
	722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10		
	756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		
	760-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	60	20	
	762-341	SEATS INC FULL WIDTH REAR BENCH SEAT	60	20	
	759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		
	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
	758-1AK	BLACK VINYL DRIVER SEAT COVER			
	761-1AK	BLACK VINYL PASSENGER SEAT COVER			
*	755-1AK	BLACK VINYL REAR PASSENGER SEAT COVER			
	763-101	BLACK SEAT BELTS			
	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
	540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS			
	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instr	uments & Con	trols			
	734-024	INTEGRATED UPPER & LOWER STORAGE PANELS			
Ν	68J-004	(4) SWITCH CUTOUTS AND BLANKS IN CENTER PANEL			

870-002	BRIGHT ARGENT FINISH GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC

SELF-ADJUSTING BACKUP ALARM

10/15/2023 9:48 PM

3

	Data Code	Description	Weight Front	Weight Rear	
	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
	844-001	2 INCH ELECTRIC FUEL GAUGE			
	148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			
	4C0-998	NO ADDITIONAL EXTRA SWITCH ACCUATORS			
	48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
	372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
	736-998	NO OBSTACLE DETECTION SYSTEM			
	72J-998	NO DR ASSIST SYSTEM			
	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			
	73B-998	NO LANE DEPARTURE WARNING SYSTEM			
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
N	35M-010	QUICKFIT PROGRAMMABLE INTERFACE MODULE	10		
	746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939			
	747-001	DASH MOUNTED RADIO			
	750-002	(2) RADIO SPEAKERS IN CAB			
	753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			

	Data Code	Description	Weight Front	Weight Rear	
	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			
	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			
	74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS			
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
	817-001	STANDARD VEHICLE SPEED SENSOR			
	812-001	ELECTRONIC 3000 RPM TACHOMETER			
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
	6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
	329-125	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO END OF FRAME, CAPPED			
	4C1-026	HARDWIRE SWITCH #1, ON/OFF LATCHING, 10 AMPS BATTERY POWER			
	4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER			
	4C3-017	HARDWIRE SWITCH #3,ON/OFF LATCHING, 10 AMPS BATTERY POWER			
	4C4-017	HARDWIRE SWITCH #4,ON/OFF LATCHING, 10 AMPS BATTERY POWER			
	81Y-006	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS AND SERVICE BRAKES			
Ν	264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL			
	883-998	NO TRAILER HAND CONTROL BRAKE VALVE			
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
	27D-004	ALTERNATING FLASHING HEADLAMP SYSTEM WITH BODY BUILDER CONTROLLED ENGAGEMENT			
*	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			

Application Version 11.8.106 Data Version PRL-28M.016 NETC M2 EXTENDED 2024

10/15/2023 9:48 PM

Page 16 of 18

	Data Code	Description	Weight Front	Weight Rear	
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			
Design					
	065-000	PAINT: ONE SOLID COLOR			
Color					
	980-5E1	CAB COLOR A: L0214EY RED ELITE EY			
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
	969-998	NO CAB/BODY EXTERIOR DECALS			
	963-003	STANDARD E COAT/UNDERCOATING			
Certific	ation / Comp	liance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Second	dary Factory C	Options			
	999-006	CHASSIS IS HIGHER AT FRONT THAN AT REAR; SLOPE > 0.5%; DEALER ADVISED AND ACCEPTS			
Sales F	Programs				
		NO SALES PROGRAMS HAVE BEEN SELECTED			
		TOTAL VEHICLE SUM	MAR	Y	

Weight Summary					
	Weight Front	Weight Rear	Total Weight		
Factory Weight <sup>+</sup>	6580 lbs	3445 lbs	10025 lbs		
Total Weight <sup>+</sup>	6580 lbs	3445 lbs	10025 lbs		

### **Extended Warranty**

WAG-074 TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$750 CAP FEX APPLIES

Application Version 11.8.106 Data Version PRL-28M.016 NETC M2 EXTENDED 2024

10/15/2023 9:48 PM

Page 17 of 18

# Quote

Date	Estimate #
1/15/2024	FRLM2-EXT

### 156 Epping Rd. Exeter, NH 03833 (603)778-8158 www.netruckcenter.com

Name / Address

New England Truck Center 156 Epping Road Exeter, NH 03833

		OP#		PO #
		FRLM2-EXT		STOCK
Item	Description	Qty		Total
Chassis	2025 FREIGHTLINER M2 PLUS EXT CAB VIN# TBD		1	101,322.00
Bodies	2024 20TB-22' SERIAL #TBD		1	46,325.00
C-NC112	FULLY CONFIGURABLE EQUIPMENT		1	0.00
C-NC19	20 000TB		1	0.00
C-2022	22'-20 000-ТВ		1	0.00
C-NC46	COMPLETE EQUIPMENT		1	0.00
C-D414	4 CHAIN SLOTS PER SIDE (16 TOTAL FOR 21', 22', 23', 24')		1	0.00
C-D	"3/16" CHECKER PLATE DECK (STANDARD)		1	0.00
C-PGAL-1	DECK GALVANIZED (OPTION FOR 18'-23' DECKS)		1	0.00
C-C1	FLAT TOP DECK, WITH REMOVABLE RAILS		1	0.00
C-B3	3" HIGH X 9" SPACING (OPTION FOR 20 000-TB)		1	0.00
C-L16	5 MARKER LIGHTS PER SIDE		1	0.00
C-T02	RAMSEY HDP 10,000 LBS WITH 7/16" X 75' WIRE ROPE		1	0.00
	(OPTION FOR 10 000-TB AND 20 000-TB)			
C-T15	WINCH AIR FREE SPOOL ON LEFT HAND SIDE		1	0.00
C-NC30	75' WIRE ROPE		1	0.00
C-CR01	SWIVEL HOOK		1	0.00
C-NC24	SINGLE AXLE		1	0.00
C-12V	12V WIRING		1	0.00
C-NC44	MEDIUM DUTY STINGER AND WHEEL LIFT (STANDARD		1	0.00
	FOR 20 000-TB) (3X3 T-BAR)			
C-G20	GALVANIZED SUB-FRAME AND BUMPER		1	0.00
C-NC17	CLEAR MARKER LIGHT		1	0.00
C-L118	8 X 4 1/2" LIGHT (6 RED (STOP-FLASH) / 2 BACKUPS) - ON BUMPER		1	0.00
C-NC11	LEVER CONTROL STANDARDS		1	0.00
C-INCL	WHEEL LIFT SYSTEM (OPTION INCLUDES 3X3 T-BAR)		1	0.00
C-S052	STAINLESS ON REAR BUMPER		1	0.00
C-G011	STABILIZER GRIP (20,000) (3X3)		1	0.00
C-L112-1	2 LED WORK LIGHTS ON TOP OF THE REAR BUMPER		1	0.00
С-В06	HITCH RECEIVER ASSEMBLY 10-20 000LBS (2"X2")		1	0.00
		Total		

# Quote

Date	Estimate #
1/15/2024	FRLM2-EXT

### 156 Epping Rd. Exeter, NH 03833 (603)778-8158 www.netruckcenter.com

Name / Address

New England Truck Center 156 Epping Road Exeter, NH 03833

		OP#		PO #
		FRLM2-EXT		STOCK
ltem	Description	Qty		Total
C-A1	STANDARD CHAIN RACK		1	0.00
C-A12	STD WINCH EMBEDDED IN CHAIN RACK		1	0.00
C-L118	8 X 4 1/2" LIGHT (6 RED (STOP-FLASH) / 2 BACKUPS) - ON CHAIN RACK		1	0.00
C-NC40	CHAIN RACK NRC BLACK PAINT		1	0.00
C-S093	STAINLESS ON SIDES AND HEAD OF CHAIN RACK		1	0.00
C-L112-1	2 LED WORK LIGHTS UNDER THE TOP OF THE CHAIN RACK		1	0.00
C-LO2P	WIRELESS REMOTE CONTROL LODAR 2 BUTTONS (WINCH)		1	0.00
C-A421	RECOVERY ROLLER GUIDE (ROLLBACK)		1	0.00
C-S056	STAINLESS ON OIL TANK		1	0.00
C-NC110	WIRED TOWLIGHT ONLY		1	0.00
C-T6	TOUCHPAD WITH FUSELESS LIGHTING SYSTEM CONTROLLER		1	0.00
C-P-O	NO NEW CUSTOM REQUEST		1	0.00
C-DISCLAIMER	CUSTOMER, FINAL PURCHASER OR END USER HAS BEEN INFORMED OF THE RISKS AND BENEFITS OF HOT DIP GALVANIZING (HDG) OF HIS NRC CAR CARRIER DECK		1	0.00
C-NC26	"BLACK POLYMER CONTROL BOXES (STANDARD)		1	0.00
C-RACK5	68'' [1727MM] – HEIGHT ABOVE FRAME RAILS [C#5] UNCONFIGURABLE ITEMS		1	0.00
DESTTRANSPORT	DESTINATION TRANSPORT CHARGE		1	1,300.00
20TBINSTALL-INST	DEALER INSTALL WITH PTO		1	10,500.00
72AMBJUSTLB-INST	72" AMBER JUSTICE LIGHT BAR INSTALLED		1	2,450.00
TU823503-INST	48" BAWER STAINLESS TOOLBOX INSTALLED		2	3,013.20
TU824003-INST	60" BAWER STAINLESS TOOLBOX INSTALLED		2	3,403.20
SUBLET NETC BOD	STANDARD STOCK PAINT		1	0.00
Sublet - External Ven	STANDARD STOCK DETAIL		1	0.00
		Total		

# Quote

Date	Estimate #
1/15/2024	FRLM2-EXT

#### 156 Epping Rd. Exeter, NH 03833 (603)778-8158 www.netruckcenter.com

Name / Address

New England Truck Center 156 Epping Road Exeter, NH 03833

		OP#	PO #
		FRLM2-EXT	STOCK
ltem	Description	Qty	Total
	***PRICING BASED ON CURRENT DATA. FINAL PRICE WILL BE SET ONCE DEPOSIT IS RECEIVED AND BUILD SLOT SECURED.***		
		Total	\$168,313.4

ONCE THE BUYER ACCEPTS THIS ORDER, THE BUYER'S DEPOSIT IS NOT REFUNDABLE UNLESS THE BUYER CANNOT TAKE DELIVERY OF SAID VEHICLE(S) FOR A REASON BEYOND THE BUYER'S CONROL. IN THAT EVENT, THE DEALER MAY, BUT WILL NOT BE REQUIRED TO, RETURN THE DEPOSIT TO THE BUYER, LESS ANY EXPENSES WHICH THE DEALER HAS INCURRED IN ACCEPTING AND PROCESSING THIS ORDER. THE BUYER'S FAILURE TO OBTAIN FINANCING BEFORE SCHEDULED DELIVERY IS NOT A REASON BEYOND THE BUYER'S CONTROL. THE BUYER WILL ALSO BE SUBJECT TO ANY PRICE INCREASES THAT ARE RECEIVED BY THE DEALER PERTAINING TO THE CHASSIS OR BODY. BY SIGNING THIS THE BUYER ACKNOWLEDGES HAVING READ AGREEING TO THESE TERMS AND CONDITIONS.



### Terms & Conditions

- Once the buyer accepts this order, the buyer's deposit is not refundable unless the buyer cannot take delivery of the said vehicle(s) for a reason beyond the buyer's control. In that event, the dealer may, but will not be required to return the deposit to the buyer, less any expenses which the dealer has incurred in accepting and processing this order. The buyer's failure to obtain financing before scheduled delivery is not a reason beyond the buyer's control.
- The buyer will be subject to any price increase and or surcharge that are received by the dealer pertaining to the chassis or body.
- The buyer will be subject to any price increase on raw materials / parts that are incurred from the time of placing the order to the actual time of build and delivery of the unit(s).
- By signing this the buyer acknowledges having read and agreeing to these terms and conditions.

Date:		
Signature of Purchase	er:	
Opp#	Chassis:	Body:
NETC Representative:		

"Everything Truck"