

156 Epping Road Exeter, NH 03833 800-261-7219

Stock Number: STOCK PB 589 LJ 2025 Peterbilt 589 LJ

Details:

- 2024 NRC 40TB 28'
- Galvanized Deck and Subframe
- Lodar Remote
- > 20k Winch
- Cummins X15
- > 525HP
- Eaton RTLO18918B 18-Speed
- Full Chassis / Body spec attached

Price: \$325,657



CHASSIS NUMBER: 734984 Plant: 6 MODEL: 0005891 TENTATIVE DATE: 10/07/24

REPORT DATE: 02/08/24

CHASSIS NUMBER: 734984 STARTING CHASSIS NO: REQUESTED: 10/12/24 MODEL: 0005891 PLANT CODE: 6
OPS STAT: 02/08/24

NEW ENGLAND TRUCK CENTER

TENTATIVE DATE: 10/07/24 WHEELB ASE: 309.00

CAB TO END OF FRAME: 278.90

ENDING CHASSIS NO:

PRICE EFFECTIVE DATE: 01/01/24

FIRM DATE:

CAB TO AXLE: 218.90

AXLE TO BACK OF CAB: 90.10

OPTION	DESCRIPTION BASE MODEL	PUB WGT
0005891	MODEL 589 TRADITIONAL	P 14819
0200700	NOT APPLICABLE	P 0
5,557,55	SECONDARY MANUFACTURER	, 0
	FRAME AND FOLITPMENT	
0514050	10-3/4" STEEL RAILS 385"-402"	P 560
	3/8" RAIL THICKNESS	. 500
0601500	FULL STEEL INNER LINER	P 697
0001300	USE W/10-1/2, 10-3/4, 10-5/8" RAILS	F 057
0611250	HD IRON FRONT SPRING BRKTS	P 35
0011230	FORWARD & Amp; REAR	F 33
0611330	ZINC COATED ANTI CORROSION TREATED FRME	P 4
0011330	RAILS - REQUIRES FRAME RAIL CODE	1 4
0611790	ALUMINUM FRAME RAIL CROSSMEMBERS	PO
0011730	EXCLUDES SUSPENSION	r U
0644090	EOF SQUARE WITHOUT CROSSMEMBER	P 64-
0044090	USE WITH BODY BUILDER INSTALLED XMBR	1 04-
0651090	OMIT REAR MUDFLAPS & amp; HANGERS	P 24-
0051070	FRONT AXLE AND EQUIPMENT	. ~ .
1011890	PACCAR FX-20 STEER AXLE 20,000 LBS.	P 137
1012000	4" DROP	
1114030	TAPER LEAF SPRINGS, SHOCKS 20,000 LBS.	P 119
1243020	POWER STEERING SHEPPARD SD110 DUAL GEAR	
1250250	POWER STEERING RESERVOIR, FRAME MOUNTED	
	W/COOLER	
1354850	PHP10 IRON PRESET HUBS - AIR DISC	P 42
1380070	GREASABLE FRONT SPRING PINS	P 0
1380290	AIR DISC FRONT BRAKES	P 0
1380380	TENNECO SHOCKS FOR STEER AXLE	P 0
1380490	PACCAR FX WIDE TRACK IPO STD	P 15
	FRONT AXLE(S)	
1391480	PAD DUST SHIELDS FOR AIR DISC BRAKES;	P 2
	FRONT AXLE	
	REAR AXLE AND EQUIPMENT	
1523310	DANA SPICER DSH40 40,000 LBS.	P 179
	HIGH PERFORMANCE 40	
1603146	WATSON-CHALIN SL13 SLF-STRG PUSHER	P 937
	13,500 LB, INCLUDES (1) AIR TANK	
1607135	135" PUSHER AXLE SPACING	P 0
	FROM C/L OF FORWARD DRIVE AXLE	
1615180	PHP10 IRON PRESET HUBS, CAST DRUMS	P 0
	SELF-STEERING PUSHER AXLES	
1616290	PHP10 ALUMINUM PRESET HUBS	P 0
1660000	DUST SHIELDS FOR CAM BRAKES	P 4
	DRIVE AXLE(S)	
1673090	SEPARATE DASH CTRL CONT TRAC FULL LOCK	P 2
	TANDEM, TRI-DRIVE AXLES	
1680450	REAR BRAKE CAMSHAFT REINFORCEMENT	P 9
1680490	GUSSETED CAM BRACKETS, DRIVE AXLE(S)	P 2
1680500	SBM VALVE	P 0

1680950	STABILITY SYSTEM NOT SELECTED OR NOT AVAILABLE	P 0
1682710	ANTI-LOCK BRAKING SYSTEM (ABS) 6S6M	P 0
1683235	OMIT SMARTIRE TIRE PRESSURE MONITORING SYSTEM NEXT GEN TPMS	P 0
1684200	SYNTHETIC AXLE LUBRICANT ALL AXLES	P 0
1685280	LIFT AXLE REGULATOR & Amp; GAUGE LH DRV SEAT SWITCH & Amp; GAUGE IN DASH	P 0
1685465	STOWED LIFTED AXLE LOWER TO MAXIMIZE BODY CLEARANCE	P 0
1687010	BENDIX AIR CAM REAR DRUM BRAKES 16.5X7	P 0
1687090	DIFF LOCK TANDEM AXLES WITH SPEED INTERLOCK	P 60
1703550	RATIO 3.55 REAR AXLE	P 0
1821970	PB LOW AIR LEAF 40,000 LBS., 52" AS LIGHT WEIGHT	P 60-
1922260	DASH MTD DUMP SWITCH WITH INDICATOR LIGHT FOR SUSPENSION	P 2
	ENGINE AND ENGINE EQUIPMENT	
2059249	X15 525V@1900 GOV@2000 1850@1000	P 465
2004470	PROD SERIES (2024 EMISSIONS)	
2091130 2091305	VMUX ELECTRONICS ARCHITECTURE ENGINE IDLE SHUTDOWN TIMER ENABLED	P 0 P 0
2091305	ENABLE EIST AMBIENT TEMP OVERRULE	P 0
2091372	EFF EIST NA EXPIRATION MILES	P 0
2091572	EFFECTIVE VSL SETTING NA	P 0
2092014	TYPICAL OPERATING SPEED 65 MPH	P 0
2092032	POWERTRAIN OPTIMIZED FOR PERFORMANCE	P 0
2140200	CARB ENGINE IDLING COMPLIANCE	P 0
2140280	LOCATE IDLE STICKER BOTTOM DRIVER DOOR LOWER LEFT HAND POSITION	P 0
2140410	ENGINE BRAKE CONTROLS LOC ON RH COLUMN	P 0
2140450	REMOTE PTO/THROTTLE, 12-PIN, ENG BAY	P 0
	REMOTE CONTROL PROVISION	
2140660	CARB EMISSION WARRANTY	P 0
2140700	EPA ENGINE IDLING COMPLIANCE	P 0
N2132	C399 120GREEN HOUSE GAS VEHICLE SPEE	
N2133	C402 0GREEN HOUSE GAS VEHICLE SPEE	
N2134 N2135	C209 120MAXIMUM VEHICLE SPEED C121 64MAXIMUM ACCELERATOR VEHICLE	
N2137	C128 64MAXIMUM CRUISE CONTROL SPEED	
N2140	C400 252DRIVER INITIATED OVERRIDE RE	
N2141	C334 0DRIVER INITIATED OVERRIDE MA	
N2142	C401 10GREEN HOUSE GAS VEHICLE SPEE	
N2143	C333 0DRIVER INITIATED OVERRIDEMAX	
N2144	C234 NOENGINE PROTECTION SHUTDOWN	
N2145	C231 NOGEAR DOWN PROTECTION	
N2146	C132 1400PTO MAXIMUM ENGINE SPEED	
N2147	C239 NOCRUISE CONTROL AUTO-RESUME	
N2148	C238 NOCRUISE CONTROL AND ENGINE BR	
N2150	C395 0GREEN HOUSE GAS AUTOMATIC EN	
N2151	C225 YESIDLE SHUTDOWN WITH PARKING B C133 5IDLE SHUTDOWN TIMER	
N2152 N2153	C396 YESIDLE SHUTDOWN WARNING PERIOD	
N2154	C397 60IDLE SHUTDOWN WARNING PERIOD	
N2155	C206 35IDLE SHUTDOWN PERCENT ENGINE	
N2157	C233 NOIDLE SHUTDOWN MANUAL OVERRID	
N2159	C382 YESIDLE SHUTDOWN HOT AMBIENT AU	
N2161	C188 39IDLE SHUTDOWN COLD AMBIENT A	
N2162	C189 60IDLE SHUTDOWN INTERMEDIATE A	
N2163	C190 80IDLE SHUTDOWN HOT AMBIENT AI	
2513060	PACCAR 160 AMP ALTERNATOR, BRUSHED	PO
2521090	IMMERSION TYPE BLOCK HEATER 110-120V	P 0
252222	SEE SALES TOOL DESC FOR PLUG LOCATION	n ^
2522090	PACCAR PREMIUM STARTER-X15 ENGINES ONLY	P 0
2538040	3 PACCAR PREMIUM 12V DUAL PURPOSE	P 0
2539410	BATTERIES, 2190 CCA BATTERY JUMPER TERMINAL	P 4
2007T10	DELICENT SOUTEN LENGTINAL	1 7

	MTD UNDER HOOD LH FRAME RAIL	
2539720	LOW VOLTAGE DISCONNECT SYSTEM	P 0
2621000	2-SPEED FAN CLUTCH FOR FREQUENT	P 0
2021000	START/STOPS	PU
2723220	18.7 CFM NATURALLY ASPIRATED AIR	P 0
2/23220		PU
2012170	COMPRESSOR X15 ONLY	D 0
2812170	INTEBRAKE	P 0
2024422	ISX/ISX15 (FURNISHED ON ENGINE)	
2921120	PACCAR FUEL/WATER SEPARATOR EXTENDED	P 0
	SERVICE INTERVAL	
2921220	FUEL HEAT FOR FUEL FILTER	P 0
2921320	12V HEAT FOR FUEL FILTER	P 0
3114270	HIGH EFFICIENCY COOLING SYSTEM	P 0
3212030	15" PREMIUM SS AIR CLEANRS COWL MTD	P 0
	SLOTTED STAINLESS STEEL CAPS	
3367220	EXHAUST DUAL SOC	P 141
	DPF/SCR RH UNDER CAB, SINGLE MODULE	
3381790	CHROME FINISH OVER ELBOWS	P 13
	FOR DUAL EXHAUST	
3387870	24" HT, 5" DIA STANDPIPE(S)	P 0
5507070	CHROME WITH CLEAR COAT	, 0
3387880	7" CHROME PLATED STL STANDPIPE(S IPO 5"	P 4
3307000	The state of the s	P 4
4033300	TRANSMISSION AND CLUTCH	
4022200	EATON RTLO18918B 18-SPEED	P 337
	OIL-TO-WATER COOLER, INTERNAL PUMP	
4210870	RPL20 DRIVELINE INTERAXLE	P 0
4211370	RPL25 SD DRIVELINE, 2 MIDSHIP BEARINGS	P 225
4233900	(1) DASH MTD SINGLE ACTING EOA PTO CTRL	P 0
	ELECTRIC OVER AIR	
4250800	MANUAL SHIFTER, CHROME	P 0
4321000	SELF-ADJUST CLUTCH	P 0
4380220	PRE-DAMPED CLUTCH	P 0
4380370	REMOTE LUBE HOSE FOR RELEASE BEARING	P 2
	MOUNTED UNDER HOOD LH RAIL	
	AIR AND TRAILER EQUIPMENT	
4510100	•	ΡO
4510190	BENDIX AD-HF AIR DRYER, HEATER	PU
4500400	COALESCING FILTER	
4520420	PULL CORDS ALL AIR TANKS	P 0
4540260	DASH WINCH BRK SWCH TO OP (TRK/TRL BRK)	P 18
	A& E EOF ON MOVEABLE XMBR	
4540420	NYLON CHASSIS HOSE	P 0
4543330	ALUMINUM POLISHED AIR TANKS	P 0
	OUTSIDE FRAME RAILS	
4543500	ALUMINUM AIR TANKS	P 0
	NATURAL UNDER BOX, PAINTED BACK OF CAB	
4610920	SELF RETURNING BRAKE HAND VALVE	P 0
	DASH MOUNTED CONTROLS	
4611930	BODY CONNECTIONS 5' BOC	P 7
.024500	TIRES AND WHEELS	
5058970	FF: MN 20PLY 315/80R22.5 XZUS2	P 97
3030970	PART: MN315/80R225LXZUS2 FET: 122	1 37
F1F6160	RR: MN 18PLY 295/60R22.5 X MULTI D	Р8
5156160	·	P 0
	PART: MN20735 FET: 296	
5190008	CODE-REAR TIRE QTY 08.	
5220520	FF: ALCOA 89U637 22.5X9.00 HIGH POLISH	P 35-
	ALM	
5320530	RR: ALCOA 89U647 22.5X9.00 HIGH POLISH	P 80-
	ALM	
5390008	CODE-REAR RIM QTY 08.	
5407640	FF: MIRROR POLISH WHEELS, OUTER SURFACE	P 0
	SGL OR TDM STEER, W/O CHROME WHEEL NUTS	
5407660	RR: MIRROR POLISH WHEELS, OUTER SURFACE	P 0
	TANDEM DRIVE, W/O CHROME WHEEL NUTS	
5407700	PR: MIRROR POLISH WHEELS, OUTER SURFACE	ΡO
3707700	ALL PUSHER AXLES, W/O CHROME WHL NUTS	
E410140	·	P 0
5410140	FF: DURA-BRIGHT FINISH	PU
P446.55	OUTER SURFACE OF OUTER WHEEL	В.
5410160	RR: DURA-BRIGHT FINISH	P 0

5410200	TÄNDEM DRV;OUTER SURFACE OF OUTER WHEEL PR: DURA-BRIGHT FINISH	P 0
5475498	ALL PUSHER AXLES; OUTER SURFACE OF PR:(2)MN 18PLY 295/60R22.5 XLINE ENERGY	P 214
5400000	Z ETRTO; (1) SELF-STEERING PUSHER AXLE PART: MN06632 FET: 74	
5482052	PR:(2)ALCOA 89U637 22.5X9.00 HIGH POLISH ALM, (1) SELF-STRG PUSHER AXLE FUEL TANKS	P 97
5554130	26" ALUM 80 GAL FUEL TANK LH U/C NON-SLIP FÜEL TANK STEP LH U/C	P 20
5650540	5602080 POLISH (1) NON-SLIP FUEL TANK STEP U/C TANK ONLY	P 0
5650810	POLISH (1) ALUMINUM FUEL TÄNK	P 0
5652830	POLISH ALL FUEL / HYDRAULIC TANK STRAPS	P 0
5652890	DEF TANK MOUNTED LH BOC	P 0
5652990	DEF TO FUEL RATIO 2:1 OR GREATER	P 0
5653000	POLISHED SS COVER FOR DEF TANK	P 0
5655019	DEF TANK SMALL, HD 14GAL 2.1M MD 5.5GAL	P 0
5760010	RH TÄNK NONE FURNISHED	P 86-
6010700	BATTERY BOX AND BUMPER	D 60
6010780	ALUMINUM SPACE SAVER BATTERY BOX RH BOC BATTERY ACCESS FROM SIDE	P 60-
6030540	POLISH BATTERY/TOOL BOX(S)	P 0
	AFTERTREATMENT CAB ENTRY, COMPLETE	
6040550	AFTERTREATMENT RH U/C ALUM NON-SLIP CAB ENTRY STEP	P 0
6122910	STEEL TEXAS STYLE BUMPER CHROMED	P 7-
6132450	2 TOW POINTS HEAVY DUTY EXTERNAL TOW EYE	P 42
	IPO STD, N/A WITH FEPTO	
	CAB AND EQUIPMENT	
6510210	ALUMINUM CAB, 121" BBC ALUM HOOD SFFA W/POLISHED CROWN & DPING TILT ASSIST	P 0
6540660	SMARTSOUND CAB INSULATION PKG	P 0
6700000	NO SLEEPER SELECTED	P 0
6800360	FENDER LIPS 2" WIDE	P 7
6911100	PETERBILT ST DRIVER	P 0
6921140	PETERBILT ST PASSENGER SEAT	P 40
6930580	DRIVERS ARMRESTS - LH & RH	P 4
6930590	PASSENGER ARMREST - LH ONLY	P 2
6930800	BLACK SEAT COLOR IPO STD COLOR	P 0
6939400	AIR RIDE DRIVER	P 0
6939420	HIGH BACK DRIVER	P 0
6939470	VINYL DRIVER	P 0
6939500	AIR RIDE PASSENGER	P 0
6939520	HIGH BACK PASSENGER	P 0
6939570	VĪNYL PĀSSENGER	P 0
7001520	ADJUSTABLE STEERING COLUMN	P 0
7001620	TILT/TELESCOPE	P 4
7001630	PREMIUM STEERING WHEEL W MULTI FUNCTION LEATHER WRAPPED W/PB LOGO, AUDIO AND CC	P 4
7033550	PREMIER INTERIOR - ALPINE GRAY	P 0
7040150	RUBBER FLOOR IPO CARPET - PLAT/PREMIER	P 0
7240540	INTERIOR FOR CAB	D 0
7210540	DAY CAB REAR WINDOW	P 0
7210550	1-PIECE GLASS REAR CAB WINDOW FIXED	P 0
7230060	ONE-PIECE CURVED WINDSHIELD POWER DOOR LOCKS AND POWER WINDOW LIFTS	P 0
7230360	STANDARD	. 0
7322010	COMBO FRESH AIR HEATER/AIR CONDITIONER	P 0
7410160	OUTSIDE SUNVISOR - STAINLESS ST V-STYLE	P 9
	DAY CAB / LOW ROOF SLEEPERS	
7514050	LOOK DOWN MIRROR OVER PASSENGER DOOR	P 0
7516000	WITH BLACK HOUSING STNLS STL MIRRORS 7"X18" HEATED & mp; MTZD	P 0
, 310000	WEST COAST STYLE	. •

7560860	(2) CONVEX 8" HEATED SS MIRRORS MOUNTED UNDER MIRROR BRACKETS	P 0
7610500		ΡO
7722120		P 11
7725740	MIDLEVEL SPEAKER PACKAGE FOR CAB	P 7
	(4) SPĒAKERS	
7728040	BLUETOOTH PHONE & amp; AUDIO	P 0
	REQUIRES USB PORT	
7728050	•	P 0
		P 11
7740130		P 11
	WITH WEATHERBAND	
7748320	(2) 48" CB ANTENNAS	P 0
7748500	CB ANTENNA MOUNTING, LH MIRRŌR	P 0
7748510	CB ANTENNA MOUNTING, RH MIRROR	P 0
7788055	·	P 0
7851480		P 0
7031400		ru
	W/INTERMITTENT FEATURE	
7852020		P 0
7900040	FIRE EXTINGUISHER, SHIP LOOSE	P 7
	HAZMAT APPROVED UL LISTED/RATED ABC	
7900090	TRIANGLE REFLECTOR KIT	P 13
	SHIP LOOSE	
7901130		P 2
		P 0
8011470		PU
	52MM ROUND, BACKLIT	
8011800		P 0
	LOCATED IN DIGITAL CLUSTER DISPLAY	
8011810	DRIVE AXLE #2 REAR OIL TEMPERATURE GAUG	P 0
	LOCATED IN DIGITAL CLUSTER DISPLAY	
8011850	TRANSMISSION OIL TEMPERATURE (MAIN)	P 0
	LOCATED IN DIGITAL CLUSTER DISPLAY	
8021530		P 0
	52MM ROUND, BACKLIT	
8021800	The state of the s	P 0
8021800		ru
	LOCATED IN DIGITAL CLUSTER DISPLAY	
8022160		P 0
	52MM ROUND, BACKLIT	
8070000	DISABLE BRAKE LIGHT WITH ENGINE BRAKE	ΡO
8070110	(5) ADDITIONAL DASH SWITCHES, WIRING	P 2
	BEHIND DASH	
8070200	TRACTOR BRAKE APPLICATION GAUGE	P 0
	52MM ROUND, BACKLIT	
8070820	ENGINE PERCENT TORQUE	P 0
5575525	LOCATED IN DIGITAL CLUSTER DISPLAY	. •
8030830	MAIN INSTRUMENTATION PANEL	P 0
8070830		P U
	DIGITAL CLUSTER 15" DISPLAY	
8071340	BRIGHT BEZEL GAUGES IPO BLACK	ΡO
8071900	MANIFOLD PRESSURE GAUGE	P 2
	52MM ROUND, BACKLIT	
8076010	PUSHER AXLE PRESSURE 1	P 0
	52MM ROUND, BACKLIT	
8111140	HEADLIGHTS PROJECTOR MODULE POD	P 0
0111140	INTEGRAL TURN SIGNALS	
0121170		D 0
8121170	(5) MARKER LIGHTS, BUS LED BULLET	PO
8133120	SWITCH & DIRING F/O AUXILIARY LIGHT	P 2
	ON DUAL AIR CLEANERS	
8133470	SWITCH & WIRING FOR F/O BEACON/STROBE	P 2
	10' WIRE BOC/BOS AT REAR SILL	
8134160	SELF-CANCELING TURN SIGNAL	P 0
8140120	INCANDESCENT SOR STOP/TURN/TAIL/BACKUP	P 9
	LH/RH SQUARE EOF OR DROPPED A-BRACE	
	PAINT	
8530770	(1) COLOR AXALTA TWO STAGE PAINT	P 0
0330770	- A - A	. 0
NOTOR	CAB/HOOD	
N8502	A - 1008935EY VIPER RED	
N8520	FRAME L0001EA BLACK	
N8530	FENDER 1008935EY VIPER RED	
N8540	HOOD TOP 1008935EY VIPER RED	

CAB ROOF 1008935EY VIPER RED	
MISCELLANEOUS	
PETERBILT CLASS 8 STANDARD COVERAGE	ΡO
1 YEAR/100,000 MILES (160,000 KM)	
FUEL PRICE INDEX FACTOR \$213 NET	P 0
SMARTLINQ RD - 5YR SUB	P 0
CUMMINS ENGINES	
BASE WARR: EMISSIONS (CARB OPERATION)	P 0
5YR/350K MI - X15 PER/PRO Engine	
DAY CAB / PREMIER INTERIOR (DR)	P 0
STATE REGISTRY: NEW HAMPSHIRE	PΟ
2024 SERIES EMISSIONS ENGINE	UO
WARRANTY ONLY	
5,000	
	MISCELLANEOUS PETERBILT CLASS 8 STANDARD COVERAGE 1 YEAR/100,000 MILES (160,000 KM) FUEL PRICE INDEX FACTOR \$213 NET SMARTLINQ RD - 5YR SUB CUMMINS ENGINES BASE WARR: EMISSIONS (CARB OPERATION) 5YR/350K MI - X15 PER/PRO Engine DAY CAB / PREMIER INTERIOR (DR) STATE REGISTRY: NEW HAMPSHIRE 2024 SERIES EMISSIONS ENGINE WARRANTY ONLY

UNIT TYPE: 2

PRICE EFFECTIVE DATE: 01/01/24

** WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE UNPUBLISHED OPTION OR FRAME RAIL WEIGHTS. ACTUAL 'SHIPPING' WEIGHT MAY VARY.

Quote

156 Epping Rd. Exeter, NH 03833 (603)778-8158

www.netruckcenter.com

Name / Address	
New England Truck Center 156 Epping Road Exeter, NH 03833	

Date	Estimate #		
2/15/2024	PB589LJ-G		

PO#

OP#

		PB589LJ-G		STOCK
Item	Description	Qty		Total
Chassis	2025 PETERBILT 589 LJ VIN# TBD FET INCLUDED		1	229,092.00
Bodies	2024 NRC 40TB-28' SERIAL# TBD		1	67,705.00
FET Payable	BODY FET		1	10,206.98
C-NC21	40 000 TB		1	0.00
C-4028	28' - 40 000 TB		1	0.00
C-NC46	COMPLETE EQUIPMENT		1	0.00
C-D415	5 CHAIN SLOTS PER SIDE (18 TOTAL FOR 25', 26', 27', 28', 29', 30')		1	0.00
C-D44-4	SINGLE ROW OF (4) EXTRA CHAIN SLOTS IN THE CENTER OF DECK		1	0.00
C-DO	1/4" STEEL CHECKER PLATE (STANDARD FOR 40 000-TB)		1	0.00
C-C3	FLAT TOP DECK WITH STAKE POCKET, WITHOUT REMOVABLE RAILS		1	0.00
C-B3S	3" HIGH X 9" SPACING (STANDARD FOR 30 000-TB AND 40 000-TB)		1	0.00
C-L16	5 MARKER LIGHTS PER SIDE		1	0.00
C-T04-1	DP 20,000 LBS WITH 5/8" X 75' WIRE ROPE(STANDARD FOR 40 000-TB)		1	0.00
C-NC156	WINCH AIR FREE SPOOL ON LEFT HAND SIDE (NC)		1	0.00
C-NC30	75' STEEL WIRE ROPE		1	0.00
C-CR01	SWIVEL HOOK		1	0.00
C-NC25	TANDEM AXLE		1	0.00
C-12V	12V WIRING		1	0.00
C-E51	HEAVY DUTY TOW BAR T-BAR 4" X 4" (STD)		1	0.00
C-G20	GALVANIZED SUB-FRAME AND BUMPER		1	0.00
C-NC17	CLEAR MARKER LIGHT		1	0.00
C-L118	8 X 4 1/2" LIGHT (6 RED (STOP-FLASH) / 2 BACKUPS) - ON BUMPER		1	0.00
C-NC11	LEVER CONTROL STANDARDS		1	0.00
C-S052	STAINLESS ON REAR BUMPER		1	0.00
C-G012	STABILIZER GRIP (30,000 & 40,000 LBS) (4X4)		1	0.00
		Total	•	

Quote

156 Epping Rd. Exeter, NH 03833 (603)778-8158

www.netruckcenter.com

Name / Address	
New England Truck Center 156 Epping Road Exeter, NH 03833	

Date	Estimate #		
2/15/2024	PB589LJ-G		

PO#

OP#

		PB589LJ-G		STOCK
Item	Description	Qty		Total
C-L112-1	2 LED WORK LIGHTS ON TOP OF THE REAR BUMPER		1	0.00
C-A432	TRAILER HITCH & PINTLE HOOK ADAPTOR (4 HOLES) (T-BAR 4X4)		1	0.00
C-A1	STANDARD CHAIN RACK		1	0.00
C-A12	STD WINCH EMBEDDED IN CHAIN RACK		1	0.00
C-L118	8 X 4 1/2" LIGHT (6 RED (STOP-FLASH) / 2 BACKUPS) - ON CHAIN RACK		1	0.00
C-NC40	CHAIN RACK NRC BLACK PAINT		1	0.00
C-S093	STAINLESS ON SIDES AND HEAD OF CHAIN RACK		1	0.00
C-L112-1	2 LED WORK LIGHTS UNDER THE TOP OF THE CHAIN RACK		1	0.00
C-LO6P	WIRELESS REMOTE CONTROL LODAR 6 BUTTONS		1	0.00
C-A421	RECOVERY ROLLER GUIDE (ROLLBACK)		1	0.00
C-S056	STAINLESS ON OIL TANK		1	0.00
C-NC110	WIRED TOWLIGHT ONLY		1	0.00
C-T6	TOUCHPAD WITH FUSELESS LIGHTING SYSTEM CONTROLLER		1	0.00
C-P-O	NO NEW CUSTOM REQUEST		1	0.00
C-DISCLAIMER	CUSTOMER, FINAL PURCHASER OR END USER HAS BEEN INFORMED OF THE RISKS AND BENEFITS OF HOT DIP GALVANIZING (HDG) OF HIS NRC CAR CARRIER DECK		1	0.00
C-NC26	"BLACK POLYMER CONTROL BOXES (STANDARD)		1	0.00
C-RACK6	74" (1880MM) - HEIGHT ABOVE FRAME RAILS (C#6)		1	0.00
C-PGAL-2	DECK GALVANIZED (OPTION FOR 24'-30' DECKS) UNCONFIGURABLE ITEMS		1	0.00
DESTTRANSPORT	DESTINATION TRANSPORT CHARGE		1	1,300.00
30/40TBINSTALL-IN	DEALER INSTALL WITH PTO, HOSE TRACK, STANDARD STOCK PAINT AND DETAIL		1	11,500.00
72AMBJUSTLB-INST	72" AMBER JUSTICE LIGHT BAR INSTALLED		1	2,450.00
TU824003-INST	60" BAWER STAINLESS TOOLBOX INSTALLED		2	3,403.20
		Total		

Quote

156 Epping Rd. Exeter, NH 03833 (603)778-8158

www.netruckcenter.com

Name / Address	
New England Truck Center 156 Epping Road Exeter, NH 03833	

Date	Estimate #
2/15/2024	PB589LJ-G

PO#

OP#

		PB589LJ-G	STOCK
Item	Description	Qty	Total
	PRICING BASED ON CURRENT DATA. FINAL PRICE WILL BE SET ONCE DEPOSIT IS RECEIVED AND BUILD SLOT SECURED.		
		Total	\$325,657.18

ONCE THE BUYER ACCEPTS THIS ORDER, THE BUYER'S DEPOSIT IS NOT REFUNDABLE UNLESS THE BUYER CANNOT TAKE DELIVERY OF SAID VEHICLE(S) FOR A REASON BEYOND THE BUYER'S CONROL. IN THAT EVENT, THE DEALER MAY, BUT WILL NOT BE REQUIRED TO, RETURN THE DEPOSIT TO THE BUYER, LESS ANY EXPENSES WHICH THE DEALER HAS INCURRED IN ACCEPTING AND PROCESSING THIS ORDER. THE BUYER'S FAILURE TO OBTAIN FINANCING BEFORE SCHEDULED DELIVERY IS NOT A REASON BEYOND THE BUYER'S CONTROL. THE BUYER WILL ALSO BE SUBJECT TO ANY PRICE INCREASES THAT ARE RECEIVED BY THE DEALER PERTAINING TO THE CHASSIS OR BODY. BY SIGNING THIS THE BUYER ACKNOWLEDGES HAVING READ AGREEING TO THESE TERMS AND CONDITIONS.



Terms & Conditions

- Once the buyer accepts this order, the buyer's deposit is not refundable unless the
 buyer cannot take delivery of the said vehicle(s) for a reason beyond the buyer's
 control. In that event, the dealer may, but will not be required to return the
 deposit to the buyer, less any expenses which the dealer has incurred in accepting
 and processing this order. The buyer's failure to obtain financing before scheduled
 delivery is not a reason beyond the buyer's control.
- The buyer will be subject to any price increase and or surcharge that are received by the dealer pertaining to the chassis or body.
- The buyer will be subject to any price increase on raw materials / parts that are incurred from the time of placing the order to the actual time of build and delivery of the unit(s).
- By signing this the buyer acknowledges having read and agreeing to these terms and conditions.

Date:	_	
Signature of Purchase	r:	
Opp#	Chassis:	Body:
NETC Representative:		

"Everything Truck"