

156 Epping Road Exeter, NH 03833 800-261-7219

Stock Number: #488841 2026 White Western Star 47X

Details:

- 2025 NRC 30TB-28'
- Galvanized Deck and Subframe
- Lodar Remote
- > 20k Winch
- Detroit DD13 Gen 5 12.8L
- > 505HP
- ➤ Allison 4500 RDS
- Full Chassis / Body spec attached

Price: \$273,099



SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price L	evel				
	PRL-28X	WST 47X/49X PRL-28X (EFF:MY25 ORDERS)			
Data Ve	ersion				
	DRL-012	SPECPRO21 DATA RELEASE VER 012			
Vehicle	Configuration	on			
	001-470	WESTERN STAR 47X	9,050	6,525	
	004-226	2026 MODEL YEAR SPECIFIED			
	002-004	SET BACK AXLE - TRUCK			
	019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
	003-001	LH PRIMARY STEERING LOCATION			
Genera	I Service				
	AA1-003	TRUCK/TRAILER CONFIGURATION			
	AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	99D-023	CARB CLEAN IDLE LABELS NOT FOR INITIAL REGISTRATION IN STATES REQUIRING CARB EMISSIONS CERTIFICATION - (INCLUDES 6X4 INCH LABELS ON LEFT OF HOOD)			
	A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
	A84-1VT	VEHICLE TRANSPORTER BUSINESS SEGMENT			
	AA4-003	DRY BULK COMMODITY			
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	995-1A5	WESTERN STAR VOCATIONAL WARRANTY			
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 40000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 60000.0 lbs			
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs			
Truck S	Service				
	AA3-005	FLATBED/PLATFORM/STAKE BODY			
	AF4-99D	EXPECTED EMPTY BODY WEIGHT: 0.0 lbs			
	A88-99D	EXPECTED TRUCK BODY LENGTH: 26.0 ft			

	Data Code	Description	Weight Front	Weight Rear	
	AF3-151	NEW ENGLAND TRUCK EQUIPMENT			
Tractor	Service				
	AA2-001	VAN TRAILER			
	AH6-001	SINGLE (1) TRAILER			
Engine					
	101-3C1	DETROIT DD13 GEN 5 12.8L 505 HP @ 1625 RPM, 1900 GOV RPM, 1850 LB/FT @ 975 RPM			
Electro	nic Paramete	rs			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-001	CRUISE CONTROL SPEED LIMIT 1 MPH HIGHER THAN ROAD SPEED LIMIT			
	79F-013	FLEET MANAGEMENT - DAILY ENGINE USAGE ENABLED			
	79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			
N	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			
N	79Q-004	PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM			
	79T-002	PTO MODE RPM INCREMENT - 50 RPM			
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
N	79W-026	CRUISE CONTROL BUTTON PTO CONTROL AND TWO REMOTE PTO SPEEDS			
	79X-001	PTO SPEED 1 SETTING - 700 RPM			
	79Y-001	PTO SPEED 2 SETTING - 900 RPM			
N	80A-015	ALTERNATE ROAD SPEED LIMIT - 5 MPH WITH AUX INPUT			
	80C-012	ENGINE BRAKE WITH GLOBAL CRUISE CONTROL ENABLED			
	80G-002	PTO MINIMUM RPM - 700			
	80L-003	ENABLE DPF REGEN ZONE 1 WITH AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE			
	80S-018	PTO 1, WITH SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, NO FACTORY INTERLOCKS			
Engine	Equipment				
	99C-124	EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX CONFIGURATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-116	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER			
	124-105	LN 12V 170 AMP AVI 160 PAD MOUNT ALTERNATOR			
	292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES	-10		
	290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	-50	10	
	282-004	SINGLE BATTERY BOX FRAME MOUNTED RH SIDE BACK OF CAB			

Data Code	Description	Weight Front	Weight Rear	
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-022	POLISHED ALUMINUM DIAMOND PLATE WST BATTERY BOX COVER			
107-046	BW MODEL FE-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-002	JACOBS COMPRESSION BRAKE			
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE	-30	-20	
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	9	3	
23Z-007	POLISHED ALUMINUM DIAMOND PLATE WST DIESEL EXHAUST FLUID TANK COVER			
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-059	ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE			
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			
122-1H2	DETROIT FUEL/WATER SEPARATOR WITH BYPASS AND 12 VOLT PREHEATER	10		
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR			
118-001	FULL FLOW OIL FILTER			
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
261-001	STANDARD CHARGE AIR COOLER PLUMBING			
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4		
166-005	PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PREHEATER	4		
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
132-998	NO AIR INTAKE WARMER	-10		

	Data Code	Description	Weight Front	Weight Rear
	155-076	DELCO 12V MOD 3.175-39MT+ STARTER WITH ENGINE ECU SOFTWARE PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	
Trans	mission			
	342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION		
Trans	mission Equip	pment		
	343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
	84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
	84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	84E-013	S1 PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	84F-012	S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	84G-009	1800 RPM PRIMARY MODE SHIFT SPEED		
	84H-009	1800 RPM SECONDARY MODE SHIFT SPEED		
	85G-001	MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 50 RPM		
	353-073	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH CAP		
	34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
	362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO		
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
	370-006	WATER TO OIL TRANSMISSION COOLER		
	346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front	Axle and Equ	ipment		
N	400-1AA	MERITOR MFS-16-143A 16,000# FL1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	130	
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20	

	Data Code	Description	Weight Front	Weight Rear	
	402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10		
	403-002	NON-ASBESTOS FRONT BRAKE LINING			
	419-023	CONMET CAST IRON FRONT BRAKE DRUMS			
	427-001	FRONT BRAKE DUST SHIELDS	5		
	409-006	FRONT OIL SEALS			
	408-016	STEMCO SERIES 340/343/346 TRADITIONAL ALUMINUM FRONT HUB CAPS WITH WINDOW AND RED VENT PLUGS - OIL			
	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
	536-104	DUAL POWER STEERING GEARS, BENDIX 16- 20K	80		
	534-003	4 QUART POWER STEERING RESERVOIR	5		
	533-001	OIL/AIR POWER STEERING COOLER	5		
	40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			
Front	t Suspension				
N	620-013	18,000# TAPERLEAF FRONT SUSPENSION	145		
	619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
	410-001	FRONT SHOCK ABSORBERS			
Rear	Axle and Equi	ipment			
	420-1K4	MERITOR MT-40-14XP 40,000# R-SERIES TANDEM REAR AXLE WITH PUMP		20	
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		60	
	421-355	3.55 REAR AXLE RATIO			
	424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		40	
	386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	40	40	
	388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			
	452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	
	878-022	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AXLE VALVE AND (1) REAR-REAR AXLE VALVE			
	87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			
	87B-009	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH			
	423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
	433-002	NON-ASBESTOS REAR BRAKE LINING			
	434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			

Data Code	Description	Weight Front	Weight Rear	
451-023	CONMET CAST IRON REAR BRAKE DRUMS			
425-002	REAR BRAKE DUST SHIELDS		10	
440-006	REAR OIL SEALS			
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-005	AIRLINER 40,000# REAR SUSPENSION			
621-118	7.9 INCH NOMINAL RIDE HEIGHT (415MM GLOBAL REFERENCE HEIGHT)			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
624-016	51 INCH AXLE SPACING			
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			
87D-011	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH BUZZER AND INDICATOR LIGHT			
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			
623-002	TRANSVERSE CONTROL RODS			
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		20	
Pusher / Tag Equipm	nent			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake System				
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE			
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-001	STEEL AIR BRAKE RESERVOIRS			
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANKS			
Trailer Connections				
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS	5	5	

	Data Code	Description	Weight Front	Weight Rear	
	296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
	303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			
	310-998	NO TRAILER ELECTRICAL CABLE	-10		
Wheelb	ase & Frame				
	545-727	7275MM (287 INCH) WHEELBASE			
	546-1C3	11.0MM X 85.0MM X 287.0MM STEEL FRAME (0.43X3.35X11.30 INCH) 120 KSI	600	220	
	552-029	1575MM (62 INCH) REAR FRAME OVERHANG			
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	-30	80	
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 221.26 in			
	AE4-99D	CALC'D FRAME LENGTH - OVERALL: 393.57 in			
	ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 40.85 in			
	ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 37.65 in			
	ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 37.67 in			
	ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 35.7 in			
	553-001	SQUARE END OF FRAME			
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
	561-007	HEAVY DUTY BACK OF TRANSMISSION CROSSMEMBER	10		
	562-028	HEAVY DUTY MIDSHIP #1 CROSSMEMBER	10	10	
	572-036	HEAVY DUTY REAR CROSSMEMBER		70	
	565-001	STANDARD SUSPENSION CROSSMEMBER		20	
*	568-011	INVERTED MOUNTED REAR SUSPENSION CROSSMEMBER AFT 46 INCHES FROM REAR SUSPENSION CENTERLINE			
Chassi	s Equipment				
	025-003	POLISHED ALUMINUM DIAMOND PLATE WST EQUIPMENT COVERS			
	5CF-001	CLEAR FRAME SPACE REQUESTED			
*	6CF-001	1 MID CHASSIS COMPONENT LOCATION REQUEST			
	MC	OUNT AIR TANKS 50" FORWARD OF THE STAND	ARD LOCATION	I PLEASE	
	556-127	BRIGHT STEEL 1/8 INCH VOCATIONAL BUMPER			
	558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME			
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
	551-034	CLASS 10.9 THREADED METRIC FASTENERS			
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
Fuel Ta	ınks				
	204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10		
	218-006	25 INCH DIAMETER FUEL TANK(S)			

	Data Code	Description	Weight Front	Weight Rear	
	215-006	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS			
	212-007	FUEL TANK(S) FORWARD			
	664-002	POLISHED STEP FINISH			
	205-002	CHROME FUEL TANK CAP(S)			
	216-020	EQUIFLO INBOARD FUEL SYSTEM			
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
	093-1VT	MICHELIN X LINE ENERGY Z 295/60R22.5 18 PLY RADIAL FRONT TIRES	-12		
*	094-1WU	MICHELIN X MULTI D 295/60R22.5 18 PLY RADIAL REAR TIRES		-48	
Wheels					
	502-664	ALCOA ULTRA ONE 89U63X 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HD ALUMINUM FRONT WHEELS	-44		
	505-356	ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB PILOT 5.99 INSET ALUMINUM REAR WHEELS		-112	
	524-022	POLISHED DISC SIDE FRONT WHEELS WITH DURA-BRIGHT FINISH			
	525-023	POLISHED OUTER (DISHED SIDE) REAR WHEELS WITH OUTER ONLY DURA-BRIGHT FINISH			
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
Cab Ex	terior				
	829-053	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB			
	82A-028	STAINLESS STEEL CAB ACCENT MOLDING			
	667-001	FRONT FENDERS			
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
	678-066	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES			
	65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS			
	640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB			
	644-048	X-SERIES VOCATIONAL HOOD			
	67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT			
	652-016	WESTERN STAR NAMEPLATES			
	727-039	FOUR HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS	8		
	726-001	SINGLE ELECTRIC HORN			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
	327-012	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS	2		

Data Code	Description	Weight Front	Weight Rear	
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM			
302-073	VISOR MOUNTED LED MARKER LIGHTS			
311-001	DAYTIME RUNNING LIGHTS			
294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS			
300-043	LED SIDE TURN SIGNAL			
744-106	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR			
796-001	102 INCH EQUIPMENT WIDTH			
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS			
74A-001	RH DOWN VIEW MIRROR			
729-001	STANDARD SIDE/REAR REFLECTORS			
677-100	POLISHED ALUMINUM DIAMOND PLATE WST AFTERTREATMENT SYSTEM COVER			
776-998	NO SLEEPER VENT	-10		
764-020	STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS	16		
768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH	-10		
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD			
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR			
Cab Interior				
055-016	X-SERIES PREMIUM INTERIOR TRIM LEVEL PACKAGE			
707-1C4	CHARCOAL BLACK VINYL UP LEVEL INTERIOR			
70K-017	CARBON WITH PREMIUM TEAK ACCENT			
772-035	BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION			
785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY			
691-001	FORWARD ROOF MOUNTED CONSOLE			
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			
741-015	(2) COAT HOOKS ON BACKWALL OF CAB			
745-998	NO UPPER BUNK	-50	-50	
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
720-035	2-1/2 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	5		
170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY			
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			
739-034	PREMIUM INSULATION			
324-1B2	PREMIUM LED CAB LIGHTING			
787-998	NO SECURITY DEVICE			

	Data Code	Description	Weight Front	Weight Rear	
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-004	KEY QUANTITY OF 4			
	655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION			
	64C-003	BLACK DOOR HANDLES			
	740-998	NO MATTRESS	-20	-15	
	722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10		
	756-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	20		
	760-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	40	15	
	757-002	BLACK SUSPENSION COVER FOR DRIVER AND PASSENGER SEATS	4		
	759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS			
	758-131	BLACK LAREDO LEATHER DRIVER SEAT COVER WITH DIAMOND STITCHED CENTER PANELS AND EMBROIDERED LOGO			
	761-131	BLACK LAREDO LEATHER PASSENGER SEAT COVER WITH DIAMOND STITCHED CENTER PANELS AND EMBROIDERED LOGO			
	763-1AA	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS			
	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
	540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS			
	765-021	DRIVER AND PASSENGER INTERIOR SUN VISORS WITH ILLUMINATED VANITY MIRRORS			
Instrun	nents & Cont	rols			
	185-004	STANDARD FOOT PEDAL SYSTEM			
	106-002	ELECTRONIC ACCELERATOR CONTROL			
	870-002	BRIGHT ARGENT FINISH GAUGE BEZELS			
	734-018	STANDARD CENTER INSTRUMENT PANEL			
	838-001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE			
	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			
	721-001	97 DB BACKUP ALARM		3	
	440.04=	ELECTRONIC ORLUGE OCCUERCY VIIITI			

ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES

149-015

	Data Code	Description	Weight Front	Weight Rear	
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
	339-007	AUXILIARY POWER DISTRIBUTION MODULE FOR TEM USE, AUXILIARY EVAULT MOUNTED, CIRCUIT BREAKER PROTECTED			
	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
	160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH			
	844-001	2 INCH ELECTRIC FUEL GAUGE			
	845-011	FUEL FILTER RESTRICTION INDICATOR			
	148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			
	866-009	DUAL REAR AXLE TEMPERATURE GAUGES WITH SENSOR SHIELD			
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
	854-001	ENGINE OIL TEMPERATURE GAUGE			
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
	372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
	736-998	NO OBSTACLE DETECTION SYSTEM			
	72J-998	NO DR ASSIST SYSTEM			
	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			
	73B-998	NO LANE DEPARTURE WARNING SYSTEM			
	35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		
	6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
N	746-135	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939			
	747-001	DASH MOUNTED RADIO			
	750-041	STANDARD SPEAKER SYSTEM			
	753-998	NO AM/FM RADIO ANTENNA			
	748-044	UNIDEN PC78LTX FACTORY INSTALLED CB RADIO WITH SWR METER	5		
	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			
	751-998	NO SPEAKER/LEAD FOR 2-WAY RADIO			

	Data Code	Description	Weight Front	Weight Rear	
	752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD			
	75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS			
	78C-003	INTEROPERABLE SDAR ANTENNA			
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
	812-032	ELECTRONIC 2500 RPM TACHOMETER			
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
	8D1-215	5 YEARS DETROIT CONNECT BASE PACKAGE(FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM			
	8DE-998	NO ASE DATA SVCE EXTENSION			
	RDE-998	NO EXTENSIONS			
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
	329-133	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO BETWEEN SEATS, BLUNTCUT			
	4C1-025	HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER			
	4C2-025	HARDWIRE SWITCH #2, ON/OFF LATCHING, 20 AMPS IGNITION POWER			
	4C3-016	HARDWIRE SWITCH #3, ON/OFF LATCHING, 20 AMPS IGNITION POWER			
	4C4-016	HARDWIRE SWITCH #4, ON/OFF LATCHING, 20 AMPS IGNITION POWER			
	81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY			
	482-001	BW TRACTOR PROTECTION VALVE			
	883-028	TRAILER HAND CONTROL BRAKE VALVE AND WINCH BRAKE (APPLIES 45 PSI AIR TO STEER AXLE SERVICE BRAKES WHEN PARKED)			
	842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY			
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			
	48H-004	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH BLUNTCUTS			
*	4CH-005	5 EXTRA PROGRAMMABLE SWITCHES/INDICATORS			
		\$A1A0000ZZ,A1B0000ZZ,A1C0000ZZ,A1D0000ZZ ,A1E000	00ZZ		
	48C-004	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH BLUNTCUTS			

	Data Code	Description	Weight Front	Weight Rear	
	065-000	PAINT: ONE SOLID COLOR			
Color					
	980-5E1	CAB COLOR A: L0214EY RED ELITE EY			
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
Certific	cation / Comp	pliance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Secon	dary Factory	Options			
	999-034	DEALER ADVISED AND ACCEPTS TERMS OF PIL#395; SPEED OF LOADED VEHICLE MUST BE LIMITED TO 5 MPH MAXIMUM WHEN LIFTABLE AXLE IS RAISED			
*	516-154	295/60R22.5 18 PLY RADIAL REAR TIRES			
	RPQ-002	RESERVED FOR SPECPRO PRICE QUOTE APPLY			
	RPQ-003	RESERVED FOR SPECPRO PRICE QUOTE APPLY			
	RPQ-004	RESERVED FOR SPECPRO PRICE QUOTE APPLY			
	RPQ-005	RESERVED FOR SPECPRO PRICE QUOTE APPLY			
	RPQ-006	RESERVED FOR SPECPRO PRICE QUOTE APPLY			
	RPQ-007	RESERVED FOR SPECPRO PRICE QUOTE APPLY			
Clear F	Frame Space	Details			
	5LA-028	CFS,LH,OB,#1,START 28" BOC			
	5LB-099	CFS,LH,OB,#1, 99" LONG			
	5MA-011	CFS,RH,OB,#1,START 11" BOC			
	5MB-099	CFS,RH,OB,#1, 99" LONG			
Sales	Programs				
		NO SALES PROGRAMS HAVE BEEN SELECTED			

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	9961 lbs	6946 lbs	16907 lbs
Total Weight ⁺	9961 lbs	6946 lbs	16907 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Quote

156 Epping Rd. Exeter, NH 03833 (603)778-8158

www.netruckcenter.com

· · · · · · · · · · · · · · · · · · ·	
Name / Address	
New England Truck Center	
156 Epping Road	
Exeter, NH 03833	

Date	Estimate #
2/5/2025	488841

OP#	PO#	Rep
488841	STOCK	

Item	Description	Qty	Total
Chassis	2026 WHITE WESTERN STAR 47X VIN# WG0978 FET	1	176,567.00
	INCLUDED		
Bodies	2025 NRC 30TB-28' SERIAL# TBD	1	64,900.00
FET Payable	BODY FET	1	10,203.47
C-NC20	30 000 TB	1	0.00
C-3028	28'-30 000-TB	1	0.00
C-NC46	COMPLETE EQUIPMENT	1	0.00
C-D415	5 CHAIN SLOTS PER SIDE (18 TOTAL FOR 25', 26', 27', 28', 29', 30')	1	0.00
C-D44-4	SINGLE ROW OF (4) EXTRA CHAIN SLOTS IN THE CENTER OF DECK	1	0.00
C-D117-1	1/4" STEEL CHECKER PLATE (OPTION FOR 30 000-TB 24'-30')	1	0.00
C-C3	FLAT TOP DECK WITH STAKE POCKET, WITHOUT REMOVABLE RAILS	1	0.00
C-B3S	3" HIGH X 9" SPACING (STANDARD FOR 30 000-TB AND 40 000-TB)	1	0.00
C-L16	5 MARKER LIGHTS PER SIDE	1	0.00
C-T04	DP 20,000 LBS WITH 5/8" X 75' WIRE ROPE (OPTION FOR 30 000-TB)	1	0.00
C-NC156	WINCH AIR FREE SPOOL ON LEFT HAND SIDE (NC)	1	0.00
C-NC30	75' STEEL WIRE ROPE	1	0.00
C-CR01	SWIVEL HOOK	1	0.00
C-NC25	TANDEM AXLE	1	0.00
C-12V	12V WIRING	1	0.00
C-NC45	SUPER MEDIUM DUTY STINGER WITH 4X4 T-BAR (STANDARD FOR 30 000-TB)	1	0.00
C-G20	GALVANIZED SUB-FRAME AND BUMPER	1	0.00
C-NC17	CLEAR MARKER LIGHT	1	0.00
C-L118	8 X 4 1/2" LIGHT (6 RED (STOP-FLASH) / 2 BACKUPS) - ON BUMPER	1	0.00
		Total	

Quote

156 Epping Rd. Exeter, NH 03833 (603)778-8158

www.netruckcenter.com

Name / Address	
New England Truck Center	
156 Epping Road	
Exeter, NH 03833	

Date	Estimate #
2/5/2025	488841

OP#	PO#	Rep
488841	STOCK	

Item	Description	Qty	Total
C-NC11	LEVER CONTROL STANDARDS	1	0.00
C-S052	STAINLESS ON REAR BUMPER	1	0.00
C-G012	STABILIZER GRIP (30,000 & 40,000 LBS) (4X4)	1	0.00
C-L112-1	2 LED WORK LIGHTS UNDER THE TOP OF THE REAR BUMPER	1	0.00
C-A432	TRAILER HITCH & PINTLE HOOK ADAPTOR (4 HOLES) (T-BAR 4X4)	1	0.00
C-A1	STANDARD CHAIN RACK	1	0.00
C-A12	STD WINCH EMBEDDED IN CHAIN RACK	1	0.00
C-L118	8 X 4 1/2" LIGHT (6 RED (STOP-FLASH) / 2 BACKUPS) - ON CHAIN RACK	1	0.00
C-NC40	CHAIN RACK NRC BLACK PAINT	1	0.00
C-S093	STAINLESS ON SIDES AND HEAD OF CHAIN RACK	1	0.00
C-L112-1	2 LED WORK LIGHTS UNDER THE TOP OF THE CHAIN RACK	1	0.00
C-LO6P	WIRELESS REMOTE CONTROL LODAR 6 BUTTONS	1	0.00
C-A421	RECOVERY ROLLER GUIDE (ROLLBACK)	1	0.00
C-S056	STAINLESS ON OIL TANK	1	0.00
C-NC110	WIRED TOWLIGHT ONLY	1	0.00
C-T6	TOUCHPAD WITH FUSELESS LIGHTING SYSTEM CONTROLLER	1	0.00
C-P-O	NO NEW CUSTOM REQUEST	1	0.00
C-DISCLAIMER	CUSTOMER, FINAL PURCHASER OR END USER HAS BEEN INFORMED OF THE RISKS AND BENEFITS OF HOT DIP GALVANIZING (HDG) OF HIS NRC CAR CARRIER DECK	1	0.00
C-NC26	"BLACK POLYMER CONTROL BOXES (STANDARD)	1	0.00
C-RACK6	74" (1880MM) - HEIGHT ABOVE FRAME RAILS (C#6)	1	0.00
C-PGAL-2	DECK GALVANIZED (OPTION FOR 24'-30' DECKS) UNCONFIGURABLE ITEMS	1	0.00
DESTTRANSPORT	DESTINATION TRANSPORT CHARGE	1	1,300.00
		Total	

Quote

156 Epping Rd. Exeter, NH 03833 (603)778-8158

www.netruckcenter.com

Name / Address	
New England Truck Center 156 Epping Road Exeter, NH 03833	

Date	Estimate #
2/5/2025	488841

OP#	PO #	Rep
488841	STOCK	

Item	Description	Qty	Total
30/40TBINSTALL-IN	DEALER INSTALL WITH PTO, HOSE TRACK, STANDARD STOCK PAINT AND DETAIL	1	11,500.00
72AMBJUSTLB-INST	72" AMBER JUSTICE LIGHT BAR INSTALLED	1	2,450.00
MX481818.KNB-INST	48" RC TOOLBOX ALUMNIUM BOX, STAINLESS STEEL	1	1,300.81
MX601818.K-INST	DOOR INSTALLED 60" RC TOOLBOX ALUMINUM BOX, STAINLESS STEEL DOOR INSTALLED	3	4,878.09
		Total	\$273,099.37

ONCE THE BUYER ACCEPTS THIS ORDER, THE BUYER'S DEPOSIT IS NOT REFUNDABLE UNLESS THE BUYER CANNOT TAKE DELIVERY OF SAID VEHICLE(S) FOR A REASON BEYOND THE BUYER'S CONROL. IN THAT EVENT, THE DEALER MAY, BUT WILL NOT BE REQUIRED TO, RETURN THE DEPOSIT TO THE BUYER, LESS ANY EXPENSES WHICH THE DEALER HAS INCURRED IN ACCEPTING AND PROCESSING THIS ORDER. THE BUYER'S FAILURE TO OBTAIN FINANCING BEFORE SCHEDULED DELIVERY IS NOT A REASON BEYOND THE BUYER'S CONTROL. THE BUYER WILL ALSO BE SUBJECT TO ANY PRICE INCREASES THAT ARE RECEIVED BY THE DEALER PERTAINING TO THE CHASSIS OR BODY. BY SIGNING THIS THE BUYER ACKNOWLEDGES HAVING READ AGREEING TO THESE TERMS AND CONDITIONS.



Terms & Conditions

- Once the buyer accepts this order, the buyer's deposit is not refundable unless the
 buyer cannot take delivery of the said vehicle(s) for a reason beyond the buyer's
 control. In that event, the dealer may, but will not be required to return the
 deposit to the buyer, less any expenses which the dealer has incurred in accepting
 and processing this order. The buyer's failure to obtain financing before scheduled
 delivery is not a reason beyond the buyer's control.
- The buyer will be subject to any price increase and or surcharge that are received by the dealer pertaining to the chassis or body.
- The buyer will be subject to any price increase on raw materials / parts that are incurred from the time of placing the order to the actual time of build and delivery of the unit(s).
- By signing this the buyer acknowledges having read and agreeing to these terms and conditions.

Date:	_	
Signature of Purchase	r:	
Opp#	Chassis:	Body:
NETC Representative:		

"Everything Truck"